

## Kelly Aerospace Energy Systems



Effective January 19, 2015, Kelly Aerospace Energy Systems (KAES) acquired the Aero Accessories, Inc. (Tempest) line of magneto replacement parts. This acquisition includes the Bendix and Slick PMA'd ignition product lines.

KAES manufactures FAA/PMA approved aircraft magnetos, ignition leads, harnesses, and replacement parts for general aviation and military customers.

FRANKLIN ENGINES / ENGINE MODEL	4200 4300	6200 6300	600	S4-20 S4-200	S6-20 S6-200	S4-1200	S6-1200	D2000 D3000	5/8" PLUG E-SIZE	3/4" PLUG H-SIZE
4A-235-B31 (32°,116HP)	X									
4A-235-B4 (26°,125HP)	X									
6A-350-C1 (28°,220HP)		X								
6A-350-C1 (28°,220HP)					X				KA12772	
6A-350-C1 (28°,220HP)					X					KA12769
6A-350-C1A (28°,220HP)		X								
6A-350-C1A (28°,220HP)					X				KA12772	
6A-350-C1A (28°,220HP)					X					KA12769
6A-350-C2 (28°,215HP)		X								
6A-350-C2 (28°,215HP)					X				KA12772	
6A-350-C2 (28°,215HP)					X					KA12769
6A-350-C2A (28°,212HP)		X								
6A-350-C2A (28°,212HP)					X				KA12772	
6A-350-C2A (28°,212HP)					X					KA12769
6A-350-D1 (28°,200HP)		X								
6A-350-D1 (28°,200HP)					X				KA12772	
6A-350-D1 (28°,200HP)					X					KA12769
6A-350-D1A (28°,230HP)		X								
6A-350-D1A (28°,230HP)					X				KA12772	
6A-350-D1A (28°,230HP)					X					KA12769
6A-350-D1B (28°,220HP)		X								
6A-350-D1B (28°,220HP)					X				KA12772	
6A-350-D1B (28°,220HP)					X					KA12769
6A4-150-B3 (28°,150HP)		X								
6A4-150-B3 (28°,150HP)					X					KA12769
6A4-150-B31(28°,150HP)					X					KA12769
6A4-150-B31(28°,150HP)					X				KA12772	
6A4-150-B31(28°,150HP)		X								
6A4-150-B4 (28°,150HP)					X				KA12772	
6A4-150-B4 (28°,150HP)					X					KA12769
6A4-150-B4 (28°,150HP)		X								
6A4-165-B3 (32°,165HP)					X				KA12772	
6A4-165-B3 (32°,165HP)					X					KA12769
6A4-165-B3 (32°,165HP)		X								
6A4-165-B4 (32°,165HP)					X				KA12772	
6A4-165-B4 (32°,165HP)					X					KA12769
6A4-165-B4 (32°,165HP)		X								
6A4-165-B6 (32°,165HP)					X				KA12772	

FRANKLIN ENGINES / ENGINE MODEL	4200 4300	6200 6300	600	S4-20 S4-200	S6-20 S6-200	S4-1200	S6-1200	D2000 D3000	5/8" PLUG E-SIZE	3/4" PLUG H-SIZE
6A4-165-B6 (32°,165HP)					X					KA12769
6A4-165-B6 (32°,165HP)		X								
6AS-335-A (30°,260HP)					X					KA12769
6AS-335-B (30°,260HP)					X					KA12769
6AS-350-A (25°,250HP)					X					KA12769
6AS-350-A1 (25°,250HP)					X					KA12769
6V-335-A (32°,210HP)					X					KA12769
6V-335-A (36°,210HP)					X					KA12769
6V-335-B (32°,210HP)					X					KA12769
6V4-200-C32 (36°200HP)					X					KA12769
6V4-200-C33 (36°200HP)					X					KA12769
LYCOMING ENGINES / ENGINE MODEL	4200 4300	6200 6300	600	S4-20 S4-200	S6-20 S6-200	S4-1200	S6-1200	D2000 D3000	5/8" PLUG E-SIZE	3/4" PLUG H-SIZE
AEIO-320-D1B (25°,160HP)	X								KA14005	KA12508
AEIO-320-D1B (25°,160HP)				X					KA12364	KA12360
AEIO-320-D1B (25°,160HP)						X			KA12365	KA12235
AEIO-320-D2B (25°,160HP)	X								KA14005	KA12508
AEIO-320-D2B (25°,160HP)				X					KA12364	KA12360
AEIO-320-D2B (25°,160HP)						X			KA12365	KA12235
AEIO-320-E1A (25°,150HP)	X								KA14004	KA12508
AEIO-320-E1A (25°,150HP)				X					KA12364	KA12360
AEIO-320-E1A (25°,150HP)						X			KA12365	KA12235
AEIO-320-E1B (25°,150HP)	X								KA14001	KA12508
AEIO-320-E1B (25°,150HP)				X					KA12364	KA12360
AEIO-320-E1B (25°,150HP)						X			KA12365	KA12235
AEIO-320-E2A (25°,150HP)	X								KA14004	KA12508
AEIO-320-E2A (25°,150HP)				X					KA12364	KA12360
AEIO-320-E2A (25°,150HP)						X			KA12365	KA12235
AEIO-320-E2B (25°,150HP)	X								KA14001	KA12508
AEIO-320-E2B (25°,150HP)				X					KA12364	KA12360
AEIO-320-E2B (25°,150HP)						X			KA12365	KA12235
AEIO-360-A1A (20°,200HP)	X								KA14004	
AEIO-360-A1A (20°,200HP)				X					KA12364	KA12360
AEIO-360-A1A (20°,200HP)						X			KA12365	KA12235
AEIO-360-A1A (25°,200HP)	X								KA14004	
AEIO-360-A1A (25°,200HP)				X					KA12364	KA12360
AEIO-360-A1A (25°,200HP)						X			KA12365	KA12235
AEIO-360-A1B (20°,200HP)	X									
AEIO-360-A1B (20°,200HP)				X					KA12364	KA12360

LYCOMING ENGINES / ENGINE MODEL	4200 4300	6200 6300	600	S4-20 S4-200	S6-20 S6-200	S4-1200	S6-1200	D2000 D3000	5/8" PLUG E-SIZE	3/4" PLUG H-SIZE
AEIO-360-A1B (20°,200HP)						X			KA12365	KA12235
AEIO-360-A1B (25°,200HP)	X									
AEIO-360-A1B (25°,200HP)				X					KA12364	KA12360
AEIO-360-A1B (25°,200HP)						X			KA12365	KA12235
AEIO-360-A1B6 (20°,200HP)	X									
AEIO-360-A1B6 (20°,200HP)				X					KA12364	KA12360
AEIO-360-A1B6 (20°,200HP)						X			KA12365	KA12235
AEIO-360-A1B6 (25°,200HP)	X									
AEIO-360-A1B6 (25°,200HP)				X					KA12364	KA12360
AEIO-360-A1B6 (25°,200HP)						X			KA12365	KA12235
AEIO-360-A1C (20°,200HP)	X									KA12508
AEIO-360-A1C (25°,200HP)	X									KA12508
AEIO-360-A1D (20°,200HP)	X								KA14004	
AEIO-360-A1D (20°,200HP)				X					KA12364	KA12360
AEIO-360-A1D (20°,200HP)						X			KA12365	KA12235
AEIO-360-A1E (20°,200HP)	X								KA14004	KA12508
AEIO-360-A1E (20°,200HP)				X					KA12364	KA12360
AEIO-360-A1E (20°,200HP)						X			KA12365	KA12235
AEIO-360-A1E (25°,200HP)	X								KA14004	KA12508
AEIO-360-A1E (25°,200HP)				X					KA12364	KA12360
AEIO-360-A1E (25°,200HP)						X			KA12365	KA12235
AEIO-360-A1E6 (20°,200HP)	X								KA14004	KA12508
AEIO-360-A1E6 (25°,200HP)	X								KA14004	KA12508
AEIO-360-A2A (20°,200HP)	X								KA14004	KA12508
AEIO-360-A2A (25°,200HP)	X								KA14004	KA12508
AEIO-360-A2B (20°,200HP)	X								KA14001	KA12508
AEIO-360-A2B (20°,200HP)				X					KA12364	KA12360
AEIO-360-A2B (20°,200HP)						X			KA12365	KA12235
AEIO-360-A2B (25°,200HP)	X								KA14001	KA12508
AEIO-360-A2B (25°,200HP)				X					KA12364	KA12360
AEIO-360-A2B (25°,200HP)						X			KA12365	KA12235
AEIO-360-A2C (20°,200HP)	X									KA12508
AEIO-360-A2C (25°,200HP)	X									KA12508
AEIO-360-B1B (25°,180HP)	X								KA14004	KA12508
AEIO-360-B1B (25°,180HP)				X					KA12364	KA12360
AEIO-360-B1B (25°,180HP)						X			KA12365	KA12235
AEIO-360-B1D (25°,180HP)	X								KA14004	KA12508
AEIO-360-B1F (25°,180HP)	X								KA14005	KA12508

LYCOMING ENGINES / ENGINE MODEL	4200 4300	6200 6300	600	S4-20 S4-200	S6-20 S6-200	S4-1200	S6-1200	D2000 D3000	5/8" PLUG E-SIZE	3/4" PLUG H-SIZE
AEIO-360-B1F (25°,180HP)				X					KA12364	KA12360
AEIO-360-B1F (25°,180HP)							X		KA12365	KA12235
AEIO-360-B1F6 (25°,180HP)	X								KA14001	KA12508
AEIO-360-B1F6 (25°,180HP)				X					KA12364	KA12360
AEIO-360-B1F6 (25°,180HP)							X		KA12365	KA12235
AEIO-360-B1G6 (25°,180HP)	X								KA14001	KA12508
AEIO-360-B1G6 (25°,180HP)				X					KA12364	KA12360
AEIO-360-B1G6 (25°,180HP)							X		KA12365	KA12235
AEIO-360-B2F (25°,180HP)	X								KA14005	KA12508
AEIO-360-B2F (25°,180HP)				X					KA12364	KA12360
AEIO-360-B2F (25°,180HP)							X		KA12365	KA12235
AEIO-360-B2F6 (25°,180HP)	X								KA14001	KA12508
AEIO-360-B4A (25°,180HP)	X								KA14004	KA12508
AEIO-360-B4A (25°,180HP)				X					KA12364	KA12360
AEIO-360-B4A (25°,180HP)							X		KA12365	KA12235
AEIO-360-H1A (25°,180HP)	X								KA14001	KA12508
AEIO-360-H1A (25°,180HP)				X					KA12364	KA12360
AEIO-360-H1A (25°,180HP)							X		KA12365	KA12235
AEIO-540-D4A5 (25°,260HP)		X							KA16014	
AEIO-540-D4A5 (25°,260HP)		X								
AEIO-540-D4A5 (25°,260HP)					X				KA12121	KA12120
AEIO-540-D4A5 (25°,260HP)							X		KA12154	KA12157
AEIO-540-D4B5 (25°,260HP)		X							KA16014	
AEIO-540-D4B5 (25°,260HP)		X								
AEIO-540-D4B5 (25°,260HP)		X							KA16001	
AEIO-540-D4B5 (25°,260HP)					X				KA12121	KA12120
AEIO-540-D4B5 (25°,260HP)							X		KA12154	KA12157
AEIO-540-D4C5 (25°,260HP)		X								
AEIO-540-D4D5 (25°,260HP)		X							KA16014	
AEIO-540-L1B5 (20°,300HP)		X							KA16001	
AIO-320-A1A (25°,160HP)							X			
AIO-320-A1B (25°,160HP)	X								KA14005	KA12508
AIO-320-A1B (25°,160HP)							X		KA12365	
AIO-320-A1B (25°,160HP)				X					KA12364	KA12360
AIO-320-A1B (25°,160HP)							X		KA12365	KA12235
AIO-320-A2A (25°,160HP)	X								KA14007	KA12508
AIO-320-A2B (25°,160HP)	X								KA14001	KA12508
AIO-320-A2B (25°,160HP)				X					KA12364	KA12360

LYCOMING ENGINES / ENGINE MODEL	4200 4300	6200 6300	600	S4-20 S4-200	S6-20 S6-200	S4-1200	S6-1200	D2000 D3000	5/8" PLUG E-SIZE	3/4" PLUG H-SIZE
AIO-320-A2B (25°,160HP)						X			KA12365	KA12235
AIO-320-B1B (25°,160HP)	X								KA14005	KA12508
AIO-320-B1B (25°,160HP)				X					KA12364	KA12360
AIO-320-B1B (25°,160HP)						X			KA12365	KA12235
AIO-320-C1B (25°,160HP)	X								KA14005	KA12508
AIO-360-A1A (20°,200HP)				X					KA12364	KA12360
AIO-360-A1A (20°,200HP)	X									
AIO-360-A1A (20°,200HP)						X			KA12365	KA12235
AIO-360-A1A (25°,200HP)				X					KA12364	KA12360
AIO-360-A1A (25°,200HP)						X			KA12365	KA12235
AIO-360-A1B (20°,200HP)				X					KA12364	KA12360
AIO-360-A1B (20°,200HP)	X									
AIO-360-A1B (20°,200HP)						X			KA12365	KA12235
AIO-360-A1B (25°,200HP)				X					KA12364	KA12360
AIO-360-A1B (25°,200HP)						X			KA12365	KA12235
AIO-360-A2A (20°,200HP)	X									
AIO-360-A2A (25°,200HP)	X									
AIO-360-A2B (20°,200HP)	X								KA14001	KA12508
AIO-360-A2B (20°,200HP)				X					KA12364	KA12360
AIO-360-A2B (20°,200HP)						X			KA12365	KA12235
AIO-360-A2B (25°,200HP)	X								KA14001	KA12508
AIO-360-A2B (25°,200HP)				X					KA12364	KA12360
AIO-360-A2B (25°,200HP)						X			KA12365	KA12235
AIO-360-B1B (20°,200HP)						X				KA12235
AIO-360-B1B (20°,200HP)	X									
AIO-360-B1B (20°,200HP)						X			KA12365	
AIO-360-B1B (25°,200HP)						X			KA12365	KA12235
AIO-360-B1B (25°,200HP)	X									
AIO-360-B1B (25°,200HP)						X				
GO-435-C2A (25°,260HP)					X				KA12474	
GO-435-C2A2 (25°,260HP)					X				KA12474	
GO-435-C2B (25°,260HP)					X				KA12474	
GO-435-C2B1 (25°,260HP)					X				KA12474	
GO-435-C2B2 (25°,260HP)					X				KA12474	
GO-480-B (25°,270HP)					X				KA12474	
GO-480-B1A6 (25°,270HP)					X				KA12474	
GO-480-B1C (25°,270HP)					X				KA12474	
GO-480-B1D (25°,270HP)					X				KA12474	



# AIRCRAFT IGNITION HARNESS APPLICATION CHART BY ENGINE MODEL

Rev 1 / Page 6 of 55

LYCOMING ENGINES / ENGINE MODEL	4200 4300	6200 6300	600	S4-20 S4-200	S6-20 S6-200	S4-1200	S6-1200	D2000 D3000	5/8" PLUG E-SIZE	3/4" PLUG H-SIZE
GO-480-C1D6 (25°,295HP)					X				KA12474	
GO-480-D1A (25°,275HP)					X				KA12854	
GO-480-G1A6 (25°,295HP)					X				KA12474	
GO-480-G1B6 (25°,295HP)					X				KA12854	
GO-480-G1D6 (25°,295HP)					X				KA12474	
GO-480-G1D6 (25°,295HP)							X			
GO-480-G1J6 (25°,295HP)					X					
GO-480-G1J6 (25°,295HP)							X		KA12742	
GSO-480-B1B3 (25°,340HP)					X					
GSO-480-B1J6 (25°,340HP)					X					
GSO-480-B1J6 (25°,340HP)							X		KA12745	
HIO-360-A1A (25°,180HP)				X						
HIO-360-B1A (25°,180HP)				X						
HIO-360-C1A (25°,205HP)				X						
HIO-360-C1B (25°,205HP)						X			KA12411	
HIO-360-D1A (25°,205HP)	X								KA14007	
HIO-360-D1A (25°,205HP)						X				
HIO-360-E1AD (20°,190HP)								X		*
HIO-360-E1BD (20°,190HP)								X		*
HIO-360-F1AD (20°,190HP)								X		*
HO-360-A1A (25°,180HP)				X					KA12364	KA12360
HO-360-B1A (25°,180HP)				X					KA12364	KA12360
HO-360-B1B (25°,180HP)				X					KA12364	KA12360
HO-360-C1A (25°,180HP)				X					KA12364	KA12360
IGSO-480-A1A6 - 1/2 (25°,340HP)					X				KA12244	KA12247
IGSO-480-A1A6 - 1/2 (25°,340HP)							X			
IGSO-480-A1A6 - 13/16 (25°,340HP)					X				KA12244	KA12247
IGSO-480-A1A6 - 13/16 (25°,340HP)							X			
IGSO-480-A1B6 - 1/2 (25°,340HP)					X				KA12244	KA12247
IGSO-480-A1B6 - 1/2 (25°,340HP)							X			
IGSO-480-A1B6 - 13/16 (25°,340HP)					X				KA12244	KA12247
IGSO-480-A1B6 - 13/16 (25°,340HP)							X			
IGSO-480-A1E6 - 1/2 (25°,340HP)					X				KA12244	KA12247



LYCOMING ENGINES / ENGINE MODEL	4200 4300	6200 6300	600	S4-20 S4-200	S6-20 S6-200	S4-1200	S6-1200	D2000 D3000	5/8" PLUG E-SIZE	3/4" PLUG H-SIZE
IGSO-480-A1E6 - 1/2 (25°,340HP)							X			
IGSO-480-A1E6 - 13/16 (25°,340HP)					X				KA12244	KA12247
IGSO-480-A1E6 - 13/16							X			
IGSO-540-A1D (25°,380HP)					X					
IGSO-540-A1D (25°,380HP)					X					
IGSO-540-A1D (25°,380HP)							X		KA12259	
IGSO-540-A1E (25°,380HP)					X					
IGSO-540-A1E (25°,380HP)					X					
IGSO-540-A1E (25°,380HP)							X		KA12259	
IGSO-540-A1F (25°,380HP)					X					
IGSO-540-A1F (25°,380HP)					X					
IGSO-540-A1F (25°,380HP)							X		KA12259	
IGSO-540-B1A (25°,380HP)					X					
IGSO-540-B1A (25°,380HP)					X					
IGSO-540-B1A (25°,380HP)							X		KA12259	
IGSO-540-B1C (25°,380HP)					X					
IGSO-540-B1C (25°,380HP)					X					
IGSO-540-B1C (25°,380HP)							X		KA12259	
IO-320-A1A (25°,150HP)	X								KA14000	KA12508
IO-320-A2A (25°,150HP)	X								KA14000	KA12508
IO-320-B1A (25°,160HP)	X								KA14000	KA12508
IO-320-B1A (25°,160HP)				X					KA12364	KA12360
IO-320-B1A (25°,160HP)						X			KA12365	KA12235
IO-320-B1B (25°,160HP)	X								KA14001	KA12508
IO-320-B1B (25°,160HP)				X					KA12364	KA12360
IO-320-B1B (25°,160HP)						X			KA12365	KA12235
IO-320-B1C (25°,160HP)	X								KA14004	KA12508
IO-320-B1C (25°,160HP)				X					KA12364	KA12360
IO-320-B1C (25°,160HP)						X			KA12365	KA12235
IO-320-B1D (25°,160HP)	X								KA14007	KA12508
IO-320-B1D (25°,160HP)				X					KA12364	KA12360
IO-320-B1D (25°,160HP)						X			KA12365	KA12235
IO-320-B2A (25°,160HP)	X								KA14004	KA12508
IO-320-B2A (25°,160HP)				X					KA12364	KA12360
IO-320-B2A (25°,160HP)						X			KA12365	KA12235
IO-320-C1A - 1/2 (25°,160HP)	X								KA14000	KA12508
IO-320-C1A - 1/2 (25°,160HP)				X					KA12364	KA12360



LYCOMING ENGINES / ENGINE MODEL	4200 4300	6200 6300	600	S4-20 S4-200	S6-20 S6-200	S4-1200	S6-1200	D2000 D3000	5/8" PLUG E-SIZE	3/4" PLUG H-SIZE
IO-320-C1A - 1/2 (25°,160HP)						X			KA12365	KA12235
IO-320-C1A - 13/16 (25°,160HP)	X								KA14000	KA12508
IO-320-C1A - 13/16 (25°,160HP)				X					KA12364	KA12360
IO-320-C1A - 13/16 (25°,160HP)						X			KA12365	KA12235
IO-320-D1A (25°,160HP)	X								KA14005	KA12508
IO-320-D1A (25°,160HP)				X					KA12364	KA12360
IO-320-D1A (25°,160HP)						X			KA12365	KA12235
IO-320-D1B (25°,160HP)	X								KA14005	KA12508
IO-320-D1B (25°,160HP)				X					KA12364	KA12360
IO-320-D1B (25°,160HP)						X			KA12365	KA12235
IO-320-E1A (25°,150HP)	X								KA14004	KA12508
IO-320-E1A (25°,150HP)				X					KA12364	KA12360
IO-320-E1A (25°,150HP)						X			KA12365	KA12235
IO-320-E1B (25°,150HP)	X								KA14001	KA12508
IO-320-E1B (25°,150HP)				X					KA12364	KA12360
IO-320-E1B (25°,150HP)						X			KA12365	KA12235
IO-320-E2A (25°,150HP)	X								KA14004	KA12508
IO-320-E2A (25°,150HP)				X					KA12364	KA12360
IO-320-E2A (25°,150HP)						X			KA12365	KA12235
IO-320-E2B (25°,150HP)	X								KA14001	KA12508
IO-320-E2B (25°,150HP)				X					KA12364	KA12360
IO-320-E2B (25°,150HP)						X			KA12365	KA12235
IO-320-F1A (25°,160HP)	X								KA14000	KA12508
IO-320-F1A (25°,160HP)				X					KA12364	KA12360
IO-320-F1A (25°,160HP)						X			KA12365	KA12235
IO-360-A1A (20°,200HP)	X								KA14004	KA12508
IO-360-A1A (20°,200HP)				X					KA12402	KA12360
IO-360-A1A (20°,200HP)						X			KA12365	KA12235
IO-360-A1A (25°,200HP)	X								KA14004	KA12508
IO-360-A1A (25°,200HP)				X					KA12402	KA12360
IO-360-A1A (25°,200HP)						X			KA12365	KA12235
IO-360-A1B (20°,200HP)	X									KA12508
IO-360-A1B (20°,200HP)	X								KA14004	KA12508
IO-360-A1B (20°,200HP)	X								KA14006	KA12508
IO-360-A1B (20°,200HP)	X								KA14007	KA12508
IO-360-A1B (20°,200HP)				X					KA12364	KA12360

LYCOMING ENGINES / ENGINE MODEL	4200 4300	6200 6300	600	S4-20 S4-200	S6-20 S6-200	S4-1200	S6-1200	D2000 D3000	5/8" PLUG E-SIZE	3/4" PLUG H-SIZE
IO-360-A1B (20°,200HP)						X			KA12365	KA12235
IO-360-A1B (25°,200HP)	X									KA12508
IO-360-A1B (25°,200HP)	X								KA14004	KA12508
IO-360-A1B (25°,200HP)	X								KA14006	KA12508
IO-360-A1B (25°,200HP)	X								KA14007	KA12508
IO-360-A1B (25°,200HP)				X					KA12364	KA12360
IO-360-A1B (25°,200HP)						X			KA12365	KA12235
IO-360-A1B6 (20°,200HP)	X									KA12508
IO-360-A1B6 (20°,200HP)	X								KA14006	KA12508
IO-360-A1B6 (20°,200HP)	X								KA14007	KA12508
IO-360-A1B6 (20°,200HP)				X					KA12364	KA12360
IO-360-A1B6 (20°,200HP)						X				
IO-360-A1B6 (25°,200HP)	X									KA12508
IO-360-A1B6 (25°,200HP)	X								KA14006	KA12508
IO-360-A1B6 (25°,200HP)	X								KA14007	KA12508
IO-360-A1B6 (25°,200HP)				X					KA12364	KA12360
IO-360-A1B6 (25°,200HP)						X				
IO-360-A1B6D (25°,200HP)								X		*
IO-360-A1C (20°,200HP)	X									KA12508
IO-360-A1C (20°,200HP)				X					KA12364	KA12360
IO-360-A1C (20°,200HP)						X			KA12365	KA12235
IO-360-A1C (25°,200HP)	X									KA12508
IO-360-A1C (25°,200HP)				X					KA12364	KA12360
IO-360-A1C (25°,200HP)						X			KA12365	KA12235
IO-360-A1D (20°,200HP)	X								KA14006	KA12508
IO-360-A1D (20°,200HP)	X								KA14004	KA12508
IO-360-A1D (20°,200HP)				X					KA12364	KA12360
IO-360-A1D (20°,200HP)						X				KA12235
IO-360-A1D (25°,200HP)	X								KA14006	KA12508
IO-360-A1D (25°,200HP)	X								KA14004	KA12508
IO-360-A1D (25°,200HP)				X					KA12364	KA12360
IO-360-A1D (25°,200HP)						X				KA12235
IO-360-A1D6 (20°,200HP)	X									KA12508
IO-360-A1D6 (20°,200HP)				X					KA12364	KA12360
IO-360-A1D6 (20°,200HP)						X				KA12235
IO-360-A1D6 (25°,200HP)	X									KA12508
IO-360-A2A (20°,200HP)	X								KA14004	KA12508
IO-360-A2A (20°,200HP)				X					KA12364	KA12360

LYCOMING ENGINES / ENGINE MODEL	4200 4300	6200 6300	600	S4-20 S4-200	S6-20 S6-200	S4-1200	S6-1200	D2000 D3000	5/8" PLUG E-SIZE	3/4" PLUG H-SIZE
IO-360-A2A (20°,200HP)						X			KA12365	KA12235
IO-360-A2A (25°,200HP)	X								KA14004	KA12508
IO-360-A2A (25°,200HP)				X					KA12364	KA12360
IO-360-A2A (25°,200HP)						X			KA12365	KA12235
IO-360-A2B (20°,200HP)	X								KA14006	
IO-360-A2B (20°,200HP)	X								KA14007	
IO-360-A2B (20°,200HP)	X									
IO-360-A2B (20°,200HP)				X					KA12364	KA12360
IO-360-A2B (20°,200HP)						X			KA12365	KA12235
IO-360-A2B (25°,200HP)	X								KA14006	
IO-360-A2B (25°,200HP)	X								KA14007	
IO-360-A2B (25°,200HP)	X									
IO-360-A2B (25°,200HP)				X					KA12364	KA12360
IO-360-A2B (25°,200HP)						X			KA12365	KA12235
IO-360-A2C (20°,200HP)	X									KA12508
IO-360-A2C (20°,200HP)				X					KA12364	KA12360
IO-360-A2C (20°,200HP)						X			KA12365	KA12235
IO-360-A2C (25°,200HP)	X									KA12508
IO-360-A2C (25°,200HP)				X					KA12364	KA12360
IO-360-A2C (25°,200HP)						X			KA12365	KA12235
IO-360-A3B6 (20°,200HP)	X								KA14006	KA12508
IO-360-A3B6 (25°,200HP)	X								KA14006	KA12508
IO-360-A3B6D (25°,200HP)								*10-821414-8 OVERHAULED	X	*
IO-360-B1A (25°,180HP)				X					KA12364	KA12360
IO-360-B1A (25°,180HP)						X			KA12365	KA12235
IO-360-B1B (25°,180HP)	X								KA14004	KA12508
IO-360-B1B (25°,180HP)				X					KA12364	KA12360
IO-360-B1B (25°,180HP)						X			KA12365	KA12235
IO-360-B1C (25°,177HP)				X					KA12364	KA12360
IO-360-B1C (25°,177HP)						X			KA12365	KA12235
IO-360-B1D (25°,180HP)	X								KA14004	KA12508
IO-360-B1D (25°,180HP)				X					KA12364	KA12360
IO-360-B1D (25°,180HP)						X			KA12365	KA12235
IO-360-B1E (25°,180HP)	X								KA14006	KA12508
IO-360-B1E (25°,180HP)				X					KA12364	KA12360
IO-360-B1E (25°,180HP)						X			KA12365	KA12235
IO-360-B1F (25°,180HP)	X								KA14005	KA12508
IO-360-B1F (25°,180HP)				X					KA12364	KA12360

LYCOMING ENGINES / ENGINE MODEL	4200 4300	6200 6300	600	S4-20 S4-200	S6-20 S6-200	S4-1200	S6-1200	D2000 D3000	5/8" PLUG E-SIZE	3/4" PLUG H-SIZE
IO-360-B1F (25°,180HP)						X			KA12365	KA12235
IO-360-B1F6 (25°,180HP)	X								KA14001	KA12508
IO-360-B2E-nd (25°,180HP)	X								KA14006	KA12508
IO-360-B2E-nd (25°,180HP)				X					KA12364	KA12360
IO-360-B2E-nd (25°,180HP)						X			KA12365	KA12235
IO-360-B2E-wd (25°,180HP)	X								KA14005	
IO-360-B2E-wd (25°,180HP)				X					KA12364	KA12360
IO-360-B2E-wd (25°,180HP)						X			KA12365	KA12235
IO-360-B2F (25°,180HP)	X								KA14005	KA12508
IO-360-B2F (25°,180HP)				X					KA12364	KA12360
IO-360-B2F (25°,180HP)						X			KA12365	KA12235
IO-360-B2F6 (25°,180HP)	X								KA14005	KA12508
IO-360-B2F6 (25°,180HP)				X					KA12364	KA12360
IO-360-B2F6 (25°,180HP)						X			KA12365	KA12235
IO-360-B4A (25°,180HP)	X								KA14006	
IO-360-B4A (25°,180HP)	X								KA14004	KA12508
IO-360-B4A (25°,180HP)				X					KA12364	KA12360
IO-360-B4A (25°,180HP)						X			KA12365	KA12235
IO-360-C1A (20°,200HP)	X								KA14004	KA12508
IO-360-C1A (20°,200HP)				X					KA12364	KA12360
IO-360-C1A (20°,200HP)						X			KA12365	KA12235
IO-360-C1A (25°,200HP)	X								KA14004	KA12508
IO-360-C1A (25°,200HP)				X					KA12364	KA12360
IO-360-C1A (25°,200HP)						X			KA12365	KA12235
IO-360-C1B (20°,200HP)	X									KA12508
IO-360-C1B (20°,200HP)				X					KA12364	KA12360
IO-360-C1B (20°,200HP)						X			KA12365	KA12616
IO-360-C1B (25°,200HP)	X									KA12508
IO-360-C1B (25°,200HP)				X					KA12364	KA12360
IO-360-C1B (25°,200HP)						X			KA12365	KA12616
IO-360-C1C (20°,200HP)	X								KA14027	
IO-360-C1C (20°,200HP)	X									
IO-360-C1C (20°,200HP)				X						
IO-360-C1C (20°,200HP)						X			KA12423	KA12616
IO-360-C1C (25°,200HP)	X								KA14027	
IO-360-C1C (25°,200HP)	X								KA14007	
IO-360-C1C (25°,200HP)	X									
IO-360-C1C (25°,200HP)				X						

LYCOMING ENGINES / ENGINE MODEL	4200 4300	6200 6300	600	S4-20 S4-200	S6-20 S6-200	S4-1200	S6-1200	D2000 D3000	5/8" PLUG E-SIZE	3/4" PLUG H-SIZE
IO-360-C1C (25°,200HP)						X			KA12423	KA12616
IO-360-C1C6 (20°,200HP)	X								KA14027	KA12508
IO-360-C1C6 (20°,200HP)				X					KA12364	KA12360
IO-360-C1C6 (20°,200HP)						X			KA12423	
IO-360-C1C6 (25°,200HP)	X								KA14027	KA12508
IO-360-C1C6 (25°,200HP)				X					KA12364	KA12360
IO-360-C1C6 (25°,200HP)						X			KA12423	
IO-360-C1D6 (20°,200HP)	X									KA12508
IO-360-C1D6 (20°,200HP)				X					KA12364	KA12360
IO-360-C1D6 (20°,200HP)						X			KA12365	KA12235
IO-360-C1D6 (25°,200HP)	X									KA12508
IO-360-C1D6 (25°,200HP)				X					KA12364	KA12360
IO-360-C1D6 (25°,200HP)						X			KA12365	KA12235
IO-360-C1E6 (20°,200HP)	X								KA14027	KA12508
IO-360-C1E6 (20°,200HP)				X						
IO-360-C1E6 (20°,200HP)						X			KA12423	KA12616
IO-360-C1E6 (25°,200HP)	X								KA14027	KA12508
IO-360-C1E6 (25°,200HP)				X						
IO-360-C1E6 (25°,200HP)						X			KA12423	KA12616
IO-360-C1F (20°,200HP)	X								KA14007	KA12508
IO-360-C1F (20°,200HP)				X						
IO-360-C1F (20°,200HP)						X			KA12423	KA12616
IO-360-C1F (25°,200HP)	X								KA14007	KA12508
IO-360-C1F (25°,200HP)				X						
IO-360-C1F (25°,200HP)						X			KA12423	KA12616
IO-360-D1A (20°,200HP)	X								KA14007	KA12508
IO-360-D1A (20°,200HP)				X					KA12364	KA12360
IO-360-D1A (20°,200HP)						X			KA12365	KA12616
IO-360-D1A (25°,200HP)	X								KA14007	KA12508
IO-360-D1A (25°,200HP)				X					KA12364	KA12360
IO-360-D1A (25°,200HP)						X			KA12365	KA12616
IO-360-E1A (25°,180HP)	X									KA12508
IO-360-E1A (25°,180HP)				X					KA12364	KA12360
IO-360-E1A (25°,180HP)						X			KA12365	KA12235
IO-360-F1A (25°,180HP)	X								KA14006	KA12508
IO-360-F1A (25°,180HP)				X					KA12364	KA12360
IO-360-F1A (25°,180HP)						X			KA12365	KA12235
IO-360-J1A6D (20°,200HP)								*10-821414-6 OVERHAULED	X	*

LYCOMING ENGINES / ENGINE MODEL	4200 4300	6200 6300	600	S4-20 S4-200	S6-20 S6-200	S4-1200	S6-1200	D2000 D3000	5/8" PLUG E-SIZE	3/4" PLUG H-SIZE
IO-360-J1A6D (25°,200HP)								X		*
IO-360-J1AD (20°,200HP)	X									KA12508
IO-360-J1AD (25°,200HP)	X									KA12508
IO-360-K2A (20°,200HP)	X								KA14004	KA12508
IO-360-K2A (20°,200HP)				X					KA12364	KA12360
IO-360-K2A (20°,200HP)						X			KA12365	KA12235
IO-360-K2A (25°,200HP)	X								KA14004	KA12508
IO-360-K2A (25°,200HP)				X					KA12364	KA12360
IO-360-K2A (25°,200HP)						X			KA12365	KA12235
IO-360-L2A (25°,160HP)	X								KA14005	KA12508
IO-360-L2A (25°,180HP)	X								KA14005	KA12508
IO-540-A1A5 (20°,290HP)		X								
IO-540-A1A5 (20°,290HP)					X				KA12121	KA12120
IO-540-A1A5 (20°,290HP)							X		KA12154	KA12157
IO-540-AA1A5 (20°,270HP)		X							KA16014	
IO-540-AA1A5 (20°,270HP)					X				KA12121	KA12120
IO-540-AA1A5 (20°,270HP)							X		KA12154	KA12157
IO-540-AA1B5 (20°,270HP)		X							KA16014	
IO-540-AB1A5 (23°,230HP)		X							KA16014	
IO-540-AC1A5 (20°,300HP)		X								
IO-540-B1A5 (20°,290HP)		X								
IO-540-B1A5 (20°,290HP)					X				KA12121	KA12120
IO-540-B1A5 (20°,290HP)							X		KA12154	KA12157
IO-540-B1B5 (20°,290HP)		X								
IO-540-B1C5 (20°,290HP)		X								
IO-540-B1C5 (20°,290HP)					X				KA12121	KA12120
IO-540-B1C5 (20°,290HP)							X		KA12154	KA12157
IO-540-C1B5 (25°,250HP)		X							KA16002	KA12896
IO-540-C1B5 (25°,250HP)		X							KA16014	
IO-540-C1B5 (25°,250HP)					X				KA12121	KA12120
IO-540-C1B5 (25°,250HP)							X		KA12154	KA12157
IO-540-C1C5 (25°,250HP)		X							KA16002	KA12896
IO-540-C1C5 (25°,250HP)					X				KA12121	KA12120
IO-540-C1C5 (25°,250HP)							X		KA12154	KA12157
IO-540-C2C (25°,250HP)		X							KA16002	KA12896
IO-540-C2C (25°,250HP)					X				KA12121	KA12120
IO-540-C2C (25°,250HP)							X		KA12154	KA12157
IO-540-C4B5 (25°,250HP)		X							KA16002	KA12896

LYCOMING ENGINES / ENGINE MODEL	4200 4300	6200 6300	600	S4-20 S4-200	S6-20 S6-200	S4-1200	S6-1200	D2000 D3000	5/8" PLUG E-SIZE	3/4" PLUG H-SIZE
IO-540-C4B5 (25°,250HP)		X							KA16014	
IO-540-C4B5 (25°,250HP)					X				KA12121	KA12120
IO-540-C4B5 (25°,250HP)							X		KA12154	KA12157
IO-540-C4C5 (25°,250HP)		X							KA16014	
IO-540-C4D5 (25°,250HP)		X							KA16014	
IO-540-D4A5 (25°,260HP)		X							KA16014	
IO-540-D4A5 (25°,260HP)					X				KA12121	KA12120
IO-540-D4A5 (25°,260HP)							X		KA12154	KA12157
IO-540-D4B5 (25°,260HP)		X								
IO-540-D4B5 (25°,260HP)					X				KA12121	KA12120
IO-540-D4B5 (25°,260HP)							X		KA12154	KA12157
IO-540-D4C5 (25°,260HP)		X								
IO-540-D4C5 (25°,260HP)					X				KA12121	KA12120
IO-540-D4C5 (25°,260HP)							X		KA12154	KA12157
IO-540-E1A5 (20°,290HP)		X							KA16014	
IO-540-E1A5 (20°,290HP)		X								KA12896
IO-540-E1A5 (20°,290HP)					X				KA12121	KA12120
IO-540-E1A5 (20°,290HP)							X		KA12154	KA12157
IO-540-E1B5 (20°,290HP)		X								KA12896
IO-540-E1B5 (20°,290HP)					X				KA12121	KA12120
IO-540-E1B5 (20°,290HP)							X		KA12154	KA12157
IO-540-E1C5 (20°,290HP)		X								KA12896
IO-540-G1A5 (20°,290HP)		X								KA12896
IO-540-G1A5 (20°,290HP)					X				KA12121	KA12120
IO-540-G1A5 (20°,290HP)							X		KA12154	KA12157
IO-540-G1A5 (20°,290HP)							X			
IO-540-G1B5 (20°,290HP)		X								
IO-540-G1B5 (20°,290HP)					X				KA12121	KA12120
IO-540-G1B5 (20°,290HP)							X		KA12154	KA12157
IO-540-G1B5 (20°,290HP)							X			
IO-540-G1C5 (20°,290HP)		X								
IO-540-G1C5 (20°,290HP)							X			
IO-540-G1D5 (20°,290HP)		X								
IO-540-G1D5 (20°,290HP)					X				KA12121	KA12120
IO-540-G1D5 (20°,290HP)							X			KA12157
IO-540-G1D5 (20°,290HP)							X		KA12154	
IO-540-G1E5 (20°,290HP)		X								
IO-540-G1E5 (20°,290HP)		X								



LYCOMING ENGINES / ENGINE MODEL	4200 4300	6200 6300	600	S4-20 S4-200	S6-20 S6-200	S4-1200	S6-1200	D2000 D3000	5/8" PLUG E-SIZE	3/4" PLUG H-SIZE
IO-540-G1E5 (20°,290HP)					X					KA12120
IO-540-G1E5 (20°,290HP)							X			KA12157
IO-540-G1E5 (20°,290HP)							X		KA12154	
IO-540-G1F5 (20°,290HP)		X								
IO-540-G1F5 (20°,290HP)					X				KA12121	KA12120
IO-540-G1F5 (20°,290HP)							X			KA12157
IO-540-G1F5 (20°,290HP)							X		KA12154	
IO-540-J4A5 (25°,250HP)		X								
IO-540-J4A5 (25°,250HP)					X				KA12121	KA12120
IO-540-J4A5 (25°,250HP)							X			KA12157
IO-540-J4A5 (25°,250HP)							X		KA12154	
IO-540-K1A5 (20°,300HP)		X								
IO-540-K1A5 (20°,300HP)		X							KA16001	
IO-540-K1A5 (20°,300HP)					X				KA12121	KA12120
IO-540-K1A5 (20°,300HP)							X			KA12157
IO-540-K1A5 (20°,300HP)							X		KA12154	
IO-540-K1A5D (20°,300HP)					*10-821614-6 OVERHAULED			X		*
IO-540-K1B5 (20°,300HP)					X				KA12121	KA12120
IO-540-K1B5 (20°,300HP)		X								
IO-540-K1B5 (20°,300HP)		X								
IO-540-K1B5 (20°,300HP)							X			KA12157
IO-540-K1B5 (20°,300HP)							X		KA12154	
IO-540-K1B5 (20°,300HP)		X								
IO-540-K1C5 (20°,300HP)		X								
IO-540-K1C5 (20°,300HP)					X				KA12121	KA12120
IO-540-K1C5 (20°,300HP)							X			KA12157
IO-540-K1C5 (20°,300HP)							X		KA12154	
IO-540-K1D5 (20°,300HP)		X								KA12896
IO-540-K1D5 (20°,300HP)					X				KA12121	KA12120
IO-540-K1D5 (20°,300HP)							X		KA12154	KA12157
IO-540-K1E5 (20°,300HP)		X								
IO-540-K1E5 (20°,300HP)					X				KA12121	KA12120
IO-540-K1E5 (20°,300HP)							X			KA12157
IO-540-K1E5 (20°,300HP)							X		KA12154	
IO-540-K1F5 (20°,300HP)					X				KA12121	KA12120
IO-540-K1F5 (20°,300HP)		X								
IO-540-K1F5 (20°,300HP)							X			KA12157
IO-540-K1F5 (20°,300HP)							X		KA12154	

LYCOMING ENGINES / ENGINE MODEL	4200 4300	6200 6300	600	S4-20 S4-200	S6-20 S6-200	S4-1200	S6-1200	D2000 D3000	5/8" PLUG E-SIZE	3/4" PLUG H-SIZE
IO-540-K1F5D (20°,300HP)								X		*
IO-540-K1G5 (20°,300HP)		X							KA16001	
IO-540-K1G5 (20°,300HP)					X				KA12121	KA12120
IO-540-K1G5 (20°,300HP)							X			KA12157
IO-540-K1G5 (20°,300HP)							X		KA12154	
IO-540-K1G5D (20°,300HP)								X		*
IO-540-K1H5 (20°,300HP)		X							KA16001	
IO-540-K1H5 (20°,300HP)					X				KA12121	KA12120
IO-540-K1H5 (20°,300HP)							X			KA12157
IO-540-K1H5 (20°,300HP)							X		KA12154	
IO-540-K1J5 (20°,300HP)		X								
IO-540-K1J5 (20°,300HP)					X				KA12121	KA12120
IO-540-K1J5 (20°,300HP)							X			KA12157
IO-540-K1J5 (20°,300HP)							X		KA12154	
IO-540-K1K5 (20°,300HP)		X							KA16001	
IO-540-K1K5 (20°,300HP)					X				KA12121	KA12120
IO-540-K1K5 (20°,300HP)							X			KA12157
IO-540-K1K5 (20°,300HP)							X		KA12154	
IO-540-K2A5 (20°,300HP)		X								
IO-540-K2A5 (20°,300HP)							X			
IO-540-L1A5 (20°,300HP)		X								
IO-540-L1A5 (20°,300HP)					X				KA12121	KA12120
IO-540-L1A5 (20°,300HP)							X			KA12157
IO-540-L1A5 (20°,300HP)							X		KA12154	
IO-540-L1C5 (20°,300HP)		X							KA16001	
IO-540-L1C5 (20°,300HP)					X				KA12121	KA12120
IO-540-L1C5 (20°,300HP)							X			KA12157
IO-540-L1C5 (20°,300HP)							X		KA12154	
IO-540-M1A5 (20°,300HP)		X								
IO-540-M1A5 (20°,300HP)					X				KA12121	KA12120
IO-540-M1A5 (20°,300HP)							X		KA12154	KA12157
IO-540-M1C5 (20°,300HP)		X								
IO-540-N1A5 (25°,260HP)		X							KA16002	
IO-540-N1A5 (25°,260HP)		X								
IO-540-N1A5 (25°,260HP)					X				KA12121	KA12120
IO-540-P1A5 (20°,290HP)		X							KA16002	
IO-540-P1A5 (20°,290HP)					X				KA12121	KA12120
IO-540-P1A5 (20°,290HP)							X		KA12154	KA12157

LYCOMING ENGINES / ENGINE MODEL	4200 4300	6200 6300	600	S4-20 S4-200	S6-20 S6-200	S4-1200	S6-1200	D2000 D3000	5/8" PLUG E-SIZE	3/4" PLUG H-SIZE
IO-540-R1A5 (25°,260HP)		X							KA16002	
IO-540-R1A5 (25°,260HP)		X								
IO-540-R1A5 (25°,260HP)					X				KA12121	KA12120
IO-540-R1A5 (25°,260HP)							X		KA12154	KA12157
IO-540-S1A5 (20°,300HP)		X								
IO-540-S1A5 (20°,300HP)					X				KA12121	KA12120
IO-540-S1A5 (20°,300HP)							X		KA12154	KA12157
IO-540-T4A5D (25°,260HP)								X		*
IO-540-T4B5 (25°,260HP)		X								
IO-540-T4B5D (25°,260HP)								X		*
IO-540-W1A5 (23°,235HP)		X							KA16002	KA12896
IO-540-W1A5D (23°,235HP)								X		*
IO-540-W3A5D (23°,235HP)								X		*
IVO-360-A1A (25°,180HP)				X					KA12364	KA14033
LIO-320-B1A (25°,160HP)	X								KA14000	KA12508
LIO-320-B1A (25°,160HP)				X					KA12112	KA12360
LIO-320-B1A (25°,160HP)							X		KA12365	KA12235
LIO-320-C1A (25°,160HP)	X								KA14000	KA12508
LIO-320-C1A (25°,160HP)				X					KA12112	KA12360
LIO-320-C1A (25°,160HP)							X		KA12365	KA12235
LIO-360-C1E6 (20°,200HP)		X							KA14027	
LIO-360-C1E6 (20°,200HP)				X						
LIO-360-C1E6 (20°,200HP)							X		KA12423	KA12616
LIO-360-C1E6 (25°,200HP)		X							KA14027	
LIO-360-C1E6 (25°,200HP)				X						
LIO-360-C1E6 (25°,200HP)							X		KA12423	KA12616
LO-360-A1G6D (25°,180HP)								X		*
LO-360-E1A6D (25°,180HP)								X		*
LTIO-540-F2BD (20°,325HP)								X		*
LTIO-540-J2B (20°,350HP)		X								
LTIO-540-J2BD (20°,350HP)								X		*
LTIO-540-N2BD (20°,350HP)								X		*
LTIO-540-R2AD (20°,350HP)								X		*
LTIO-540-V2AD (20°,350HP)								X		*
O-235-C1 (25°,115HP)	X								KA14004	KA12508
O-235-C1 (25°,115HP)				X					KA12364	KA12360
O-235-C1 (25°,115HP)							X		KA12365	KA12235
O-235-C1B (25°,115HP)	X								KA14004	KA12508

LYCOMING ENGINES / ENGINE MODEL	4200 4300	6200 6300	600	S4-20 S4-200	S6-20 S6-200	S4-1200	S6-1200	D2000 D3000	5/8" PLUG E-SIZE	3/4" PLUG H-SIZE
O-235-C1B (25°,115HP)				X					KA12364	KA12360
O-235-C1B (25°,115HP)							X		KA12365	KA12235
O-235-C1C (25°,115HP)	X								KA14001	KA12508
O-235-C1C (25°,115HP)				X					KA12364	KA12360
O-235-C1C (25°,115HP)						X			KA12365	KA12235
O-235-C2A (25°,115HP)	X								KA14004	KA12508
O-235-C2A (25°,115HP)				X					KA12364	KA12360
O-235-C2A (25°,115HP)						X			KA12365	KA12235
O-235-C2B (25°,115HP)	X								KA14005	KA12508
O-235-C2B (25°,115HP)				X					KA12364	KA12360
O-235-C2B (25°,115HP)						X			KA12365	KA12235
O-235-C2C (25°,115HP)	X								KA14001	KA12508
O-235-C2C (25°,115HP)				X					KA12364	KA12360
O-235-C2C (25°,115HP)						X			KA12365	KA12235
O-235-E1 (25°,115HP)	X								KA14001	KA12508
O-235-E1 (25°,115HP)				X					KA12364	KA12360
O-235-E1 (25°,115HP)						X			KA12365	KA12235
O-235-E2A (25°,115HP)	X								KA14004	KA12508
O-235-E2A (25°,115HP)				X					KA12364	KA12360
O-235-E2A (25°,115HP)						X			KA12365	KA12235
O-235-E2B (25°,115HP)	X								KA14001	KA12508
O-235-E2B (25°,115HP)				X					KA12364	KA12360
O-235-E2B (25°,115HP)						X			KA12365	KA12235
O-235-F1 (25°,125HP)	X								KA14001	KA12508
O-235-F1 (25°,125HP)				X					KA12364	KA12360
O-235-F1 (25°,125HP)						X			KA12365	KA12235
O-235-F1B (25°,125HP)	X								KA14004	KA12508
O-235-F1B (25°,125HP)				X					KA12364	KA12360
O-235-F1B (25°,125HP)						X			KA12365	KA12235
O-235-F2A (25°,125HP)	X								KA14004	KA12508
O-235-F2A (25°,125HP)				X					KA12364	KA12360
O-235-F2A (25°,125HP)						X			KA12365	KA12235
O-235-F2B (25°,125HP)	X								KA14005	KA12508
O-235-F2B (25°,125HP)				X					KA12364	KA12360
O-235-F2B (25°,125HP)						X			KA12365	KA12235
O-235-G1 (25°,125HP)	X								KA14004	KA12508
O-235-G1 (25°,125HP)				X					KA12364	KA12360
O-235-G1 (25°,125HP)						X			KA12365	KA12235

LYCOMING ENGINES / ENGINE MODEL	4200 4300	6200 6300	600	S4-20 S4-200	S6-20 S6-200	S4-1200	S6-1200	D2000 D3000	5/8" PLUG E-SIZE	3/4" PLUG H-SIZE
O-235-G2A (25°,125HP)	X								KA14004	KA12508
O-235-G2A (25°,125HP)				X					KA12364	KA12360
O-235-G2A (25°,125HP)						X			KA12365	KA12235
O-235-G2B (25°,125HP)	X								KA14001	KA12508
O-235-G2B (25°,125HP)				X					KA12364	KA12360
O-235-G2B (25°,125HP)						X			KA12365	KA12235
O-235-H2C (25°,115HP)	X								KA14001	KA12508
O-235-H2C (25°,115HP)				X					KA12364	KA12360
O-235-H2C (25°,115HP)						X			KA12365	KA12235
O-235-J2A (25°,125HP)	X								KA14004	KA12508
O-235-J2A (25°,125HP)				X					KA12364	KA12360
O-235-J2A (25°,125HP)						X			KA12365	KA12235
O-235-J2B (25°,125HP)	X								KA14001	KA12508
O-235-J2B (25°,125HP)				X					KA12364	KA12360
O-235-J2B (25°,125HP)						X			KA12365	KA12235
O-235-K2A (20°,118HP)	X								KA14004	KA12508
O-235-K2A (20°,118HP)				X					KA12364	KA12360
O-235-K2A (20°,118HP)						X			KA12365	KA12235
O-235-K2B (20°,118HP)	X								KA14005	KA12508
O-235-K2B (20°,118HP)				X					KA12364	KA12360
O-235-K2B (20°,118HP)						X			KA12365	KA12235
O-235-K2C (20°,118HP)	X								KA14001	KA12508
O-235-K2C (20°,118HP)				X					KA12364	KA12360
O-235-K2C (20°,118HP)						X			KA12365	KA12235
O-235-L2A (20°,118HP)	X								KA14004	KA12508
O-235-L2A (20°,118HP)				X					KA12364	KA12360
O-235-L2A (20°,118HP)						X			KA12365	KA12235
O-235-L2C (20°,118HP)	X								KA14001	KA12508
O-235-L2C (20°,118HP)				X					KA12364	KA12360
O-235-L2C (20°,118HP)						X			KA12365	KA12235
O-235-M1 (20°,118HP)	X								KA14004	KA12508
O-235-M1 (20°,118HP)				X					KA12364	KA12360
O-235-M1 (20°,118HP)						X			KA12365	KA12235
O-235-M2C (20°,118HP)	X								KA14001	KA12508
O-235-M2C (20°,118HP)				X					KA12364	KA12360
O-235-M2C (20°,118HP)						X			KA12365	KA12235
O-235-N2A (20°,116HP)	X								KA14004	KA12508
O-235-N2A (20°,116HP)				X					KA12364	KA12360

LYCOMING ENGINES / ENGINE MODEL	4200 4300	6200 6300	600	S4-20 S4-200	S6-20 S6-200	S4-1200	S6-1200	D2000 D3000	5/8" PLUG E-SIZE	3/4" PLUG H-SIZE
O-235-N2A (20°,116HP)						X			KA12365	KA12235
O-235-N2C (20°,116HP)	X								KA14001	KA12508
O-235-N2C (20°,116HP)				X					KA12364	KA12360
O-235-N2C (20°,116HP)						X			KA12365	KA12235
O-235-P1 (20°,116HP)	X								KA14004	KA12508
O-235-P1 (20°,116HP)				X					KA12364	KA12360
O-235-P1 (20°,116HP)						X			KA12365	KA12235
O-235-P2A (20°,116HP)	X								KA14004	KA12508
O-235-P2A (20°,116HP)				X					KA12364	KA12360
O-235-P2A (20°,116HP)						X			KA12365	KA12235
O-290-D (20°,125HP)	X								KA14004	KA12508
O-290-D2 (18°,135HP)	X								KA14004	
O-290-D2 (18°,135HP)				X						KA12360
O-290-D2A (18°,135HP)				X					KA12364	KA12360
O-290-D2B (25°,135HP)				X					KA12364	KA12360
O-290-D2C (25°,135HP)				X					KA12364	KA12360
O-320-A1A (25°,150HP)	X								KA14001	KA12508
O-320-A1A (25°,150HP)				X					KA12364	KA12360
O-320-A1A (25°,150HP)						X			KA12365	KA12235
O-320-A1B (25°,150HP)	X								KA14004	KA12508
O-320-A1B (25°,150HP)				X					KA12364	KA12360
O-320-A1B (25°,150HP)						X			KA12365	KA12235
O-320-A2A (25°,150HP)	X								KA14004	KA12508
O-320-A2A (25°,150HP)				X					KA12364	KA12360
O-320-A2A (25°,150HP)						X			KA12365	KA12235
O-320-A2B (25°,150HP)	X								KA14004	KA12508
O-320-A2B (25°,150HP)				X					KA12402	KA12360
O-320-A2C (25°,150HP)	X								KA14004	KA12508
O-320-A2C (25°,150HP)				X					KA12402	KA12360
O-320-A2C (25°,150HP)						X			KA12365	KA12235
O-320-A2D (25°,150HP)	X								KA14001	KA12508
O-320-A2D (25°,150HP)				X					KA12364	KA12360
O-320-A2D (25°,150HP)						X			KA12365	KA12235
O-320-A3A (25°,150HP)	X								KA14004	KA12508
O-320-A3A (25°,150HP)				X					KA12364	KA12360
O-320-A3A (25°,150HP)						X			KA12365	KA12235
O-320-A3B (25°,150HP)	X								KA14004	KA12508
O-320-A3B (25°,150HP)				X					KA12364	KA12360

LYCOMING ENGINES / ENGINE MODEL	4200 4300	6200 6300	600	S4-20 S4-200	S6-20 S6-200	S4-1200	S6-1200	D2000 D3000	5/8" PLUG E-SIZE	3/4" PLUG H-SIZE
O-320-A3B (25°,150HP)						X			KA12365	KA12235
O-320-A3C (25°,150HP)	X								KA14004	KA12508
O-320-A3C (25°,150HP)				X					KA12402	KA12360
O-320-A3C (25°,150HP)						X			KA12365	KA12235
O-320-B1A (25°,160HP)	X								KA14004	KA12508
O-320-B1A (25°,160HP)				X					KA12364	KA12360
O-320-B1A (25°,160HP)						X			KA12365	KA12235
O-320-B1B (25°,160HP)	X								KA14004	KA12508
O-320-B1B (25°,160HP)				X					KA12364	KA12360
O-320-B2A (25°,160HP)	X								KA14004	KA12508
O-320-B2A (25°,160HP)				X					KA12364	KA12360
O-320-B2A (25°,160HP)						X			KA12365	KA12235
O-320-B2B (25°,160HP)	X								KA14004	KA12508
O-320-B2B (25°,160HP)				X					KA12364	KA12360
O-320-B2B (25°,160HP)						X			KA12365	KA12235
O-320-B2C (25°,160HP)	X								KA14004	KA12508
O-320-B2C (25°,160HP)				X					KA12402	KA12360
O-320-B2D (25°,160HP)	X								KA14004	KA12508
O-320-B3A (25°,160HP)	X								KA14004	KA12508
O-320-B3A (25°,160HP)				X					KA12364	KA12360
O-320-B3A (25°,160HP)						X			KA12365	KA12235
O-320-B3B (25°,160HP)	X								KA14004	KA12508
O-320-B3B (25°,160HP)				X					KA12364	KA12360
O-320-B3B (25°,160HP)						X			KA12365	KA12235
O-320-B3C (25°,160HP)	X								KA14004	KA12508
O-320-B3C (25°,160HP)				X					KA12364	KA12360
O-320-B3C (25°,160HP)						X			KA12365	KA12235
O-320-C1A (25°,150HP)	X								KA14001	KA12508
O-320-C1A (25°,150HP)				X					KA12364	KA12360
O-320-C1A (25°,150HP)						X			KA12365	KA12235
O-320-C1B (25°,150HP)	X								KA14004	KA12508
O-320-C1B (25°,150HP)				X					KA12364	KA12360
O-320-C1B (25°,150HP)						X			KA12365	KA12235
O-320-C2A (25°,150HP)	X								KA14004	KA12508
O-320-C2A (25°,150HP)				X					KA12364	KA12360
O-320-C2A (25°,150HP)						X			KA12365	KA12235
O-320-C2B (25°,150HP)	X								KA14004	KA12508
O-320-C2B (25°,150HP)				X					KA12364	KA12360



LYCOMING ENGINES / ENGINE MODEL	4200 4300	6200 6300	600	S4-20 S4-200	S6-20 S6-200	S4-1200	S6-1200	D2000 D3000	5/8" PLUG E-SIZE	3/4" PLUG H-SIZE
O-320-C2B (25°,150HP)						X			KA12365	KA12235
O-320-C2C (25°,150HP)	X								KA14004	KA12508
O-320-C2C (25°,150HP)				X					KA12364	KA12360
O-320-C2C (25°,150HP)						X			KA12365	KA12235
O-320-C3A (25°,150HP)	X								KA14001	KA12508
O-320-C3A (25°,150HP)				X					KA12364	KA12360
O-320-C3A (25°,150HP)						X			KA12365	KA12235
O-320-C3B (25°,150HP)	X								KA14004	KA12508
O-320-C3B (25°,150HP)				X					KA12364	KA12360
O-320-C3B (25°,150HP)						X			KA12365	KA12235
O-320-C3C (25°,150HP)	X								KA14004	KA12508
O-320-C3C (25°,150HP)				X					KA12364	KA12360
O-320-C3C (25°,150HP)						X			KA12365	KA12235
O-320-D1A (25°,150HP)	X								KA14004	KA12508
O-320-D1A (25°,150HP)				X					KA12364	KA12360
O-320-D1A (25°,150HP)						X			KA12365	KA12235
O-320-D1A (25°,160HP)	X								KA14004	KA12508
O-320-D1A (25°,160HP)				X					KA12364	KA12360
O-320-D1A (25°,160HP)						X			KA12365	KA12235
O-320-D1B (25°,150HP)				X					KA12364	KA12360
O-320-D1B (25°,150HP)						X			KA12365	KA12235
O-320-D1B (25°,160HP)				X					KA12364	KA12360
O-320-D1B (25°,160HP)						X			KA12365	KA12235
O-320-D1C (25°,150HP)	X								KA14005	KA12508
O-320-D1C (25°,150HP)				X					KA12364	KA12360
O-320-D1C (25°,150HP)						X			KA12365	KA12235
O-320-D1C (25°,160HP)	X								KA14005	KA12508
O-320-D1C (25°,160HP)				X					KA12364	KA12360
O-320-D1C (25°,160HP)						X			KA12365	KA12235
O-320-D1D (25°,150HP)	X								KA14001	KA12508
O-320-D1D (25°,150HP)				X					KA12364	KA12360
O-320-D1D (25°,150HP)						X			KA12365	KA12235
O-320-D1D (25°,160HP)	X								KA14001	KA12508
O-320-D1D (25°,160HP)				X					KA12364	KA12360
O-320-D1D (25°,160HP)						X			KA12365	KA12235
O-320-D1F (25°,150HP)	X								KA14005	KA12508
O-320-D1F (25°,150HP)				X					KA12364	KA12360
O-320-D1F (25°,150HP)						X			KA12365	KA12235

LYCOMING ENGINES / ENGINE MODEL	4200 4300	6200 6300	600	S4-20 S4-200	S6-20 S6-200	S4-1200	S6-1200	D2000 D3000	5/8" PLUG E-SIZE	3/4" PLUG H-SIZE
O-320-D1F (25°,160HP)	X								KA14005	KA12508
O-320-D1F (25°,160HP)				X					KA12364	KA12360
O-320-D1F (25°,160HP)						X			KA12365	KA12235
O-320-D2A (25°,150HP)	X								KA14005	KA12508
O-320-D2A (25°,150HP)				X					KA12364	KA12360
O-320-D2A (25°,150HP)						X			KA12365	KA12235
O-320-D2A (25°,160HP)	X								KA14005	KA12508
O-320-D2A (25°,160HP)				X					KA12364	KA12360
O-320-D2A (25°,160HP)						X			KA12365	KA12235
O-320-D2B (25°,150HP)	X								KA14004	KA12508
O-320-D2B (25°,150HP)				X					KA12364	KA12360
O-320-D2B (25°,150HP)						X			KA12365	KA12235
O-320-D2B (25°,160HP)	X								KA14004	KA12508
O-320-D2B (25°,160HP)				X					KA12364	KA12360
O-320-D2B (25°,160HP)						X			KA12365	KA12235
O-320-D2C (25°,150HP)	X								KA14005	KA12508
O-320-D2C (25°,150HP)				X					KA12364	KA12360
O-320-D2C (25°,150HP)						X			KA12365	KA12235
O-320-D2C (25°,160HP)	X								KA14005	KA12508
O-320-D2C (25°,160HP)				X					KA12364	KA12360
O-320-D2C (25°,160HP)						X			KA12365	KA12235
O-320-D2F (25°,150HP)	X								KA14005	KA12508
O-320-D2F (25°,150HP)				X					KA12364	KA12360
O-320-D2F (25°,150HP)						X			KA12365	KA12235
O-320-D2F (25°,160HP)	X								KA14005	KA12508
O-320-D2F (25°,160HP)				X					KA12364	KA12360
O-320-D2F (25°,160HP)						X			KA12365	KA12235
O-320-D2G (25°,150HP)	X								KA14001	KA12508
O-320-D2G (25°,150HP)				X					KA12364	KA12360
O-320-D2G (25°,150HP)						X			KA12365	KA12235
O-320-D2G (25°,160HP)	X								KA14001	KA12508
O-320-D2G (25°,160HP)				X					KA12364	KA12360
O-320-D2G (25°,160HP)						X			KA12365	KA12235
O-320-D2H (25°,150HP)	X								KA14001	KA12508
O-320-D2H (25°,150HP)				X					KA12364	KA12360
O-320-D2H (25°,150HP)						X			KA12365	KA12235
O-320-D2H (25°,160HP)	X								KA14001	KA12508
O-320-D2H (25°,160HP)				X					KA12364	KA12360

LYCOMING ENGINES / ENGINE MODEL	4200 4300	6200 6300	600	S4-20 S4-200	S6-20 S6-200	S4-1200	S6-1200	D2000 D3000	5/8" PLUG E-SIZE	3/4" PLUG H-SIZE
O-320-D2H (25°,160HP)						X			KA12365	KA12235
O-320-D2J (25°,150HP)	X								KA14002	KA12508
O-320-D2J (25°,150HP)				X					KA12364	KA12360
O-320-D2J (25°,150HP)						X			KA12365	KA12235
O-320-D2J (25°,160HP)	X								KA14002	KA12508
O-320-D2J (25°,160HP)				X					KA12364	KA12360
O-320-D2J (25°,160HP)						X			KA12365	KA12235
O-320-D3G (25°,150HP)	X								KA14001	KA12508
O-320-D3G (25°,150HP)				X					KA12364	KA12360
O-320-D3G (25°,150HP)						X			KA12365	KA12235
O-320-D3G (25°,160HP)	X								KA14001	KA12508
O-320-D3G (25°,160HP)				X					KA12364	KA12360
O-320-D3G (25°,160HP)						X			KA12365	KA12235
O-320-E1A (25°,150HP)	X								KA14004	KA12508
O-320-E1A (25°,150HP)				X					KA12364	KA12360
O-320-E1A (25°,150HP)						X			KA12365	KA12235
O-320-E1B (25°,150HP)				X					KA12364	KA12360
O-320-E1B (25°,150HP)						X			KA12365	KA12235
O-320-E1C (25°,150HP)	X								KA14005	KA12508
O-320-E1C (25°,150HP)				X					KA12364	KA12360
O-320-E1C (25°,150HP)						X			KA12365	KA12235
O-320-E1F (25°,150HP)	X								KA14005	KA12508
O-320-E1F (25°,150HP)				X					KA12364	KA12360
O-320-E1F (25°,150HP)						X			KA12365	KA12235
O-320-E1J (25°,150HP)	X								KA14001	KA12508
O-320-E1J (25°,150HP)				X					KA12364	KA12360
O-320-E1J (25°,150HP)						X			KA12365	KA12235
O-320-E2A (25°,140HP)	X								KA14004	KA12508
O-320-E2A (25°,140HP)				X					KA12364	KA12360
O-320-E2A (25°,140HP)						X			KA12365	KA12235
O-320-E2A (25°,150HP)	X								KA14004	KA12508
O-320-E2A (25°,150HP)				X					KA12364	KA12360
O-320-E2A (25°,150HP)						X			KA12365	KA12235
O-320-E2B (25°,150HP)	X								KA14004	KA12508
O-320-E2B (25°,150HP)				X					KA12364	KA12360
O-320-E2B (25°,150HP)						X			KA12365	KA12235
O-320-E2C (25°,140HP)	X								KA14007	KA12508
O-320-E2C (25°,140HP)				X					KA12364	KA12360

LYCOMING ENGINES / ENGINE MODEL	4200 4300	6200 6300	600	S4-20 S4-200	S6-20 S6-200	S4-1200	S6-1200	D2000 D3000	5/8" PLUG E-SIZE	3/4" PLUG H-SIZE
O-320-E2C (25°,140HP)						X			KA12365	KA12235
O-320-E2C (25°,150HP)	X								KA14007	KA12508
O-320-E2C (25°,150HP)				X					KA12364	KA12360
O-320-E2C (25°,150HP)						X			KA12365	KA12235
O-320-E2D (25°,150HP)	X								KA14001	KA12508
O-320-E2D (25°,150HP)				X					KA12364	KA12360
O-320-E2D (25°,150HP)						X			KA12365	KA12235
O-320-E2F (25°,150HP)	X								KA14002	KA12508
O-320-E2F (25°,150HP)				X					KA12364	KA12360
O-320-E2F (25°,150HP)						X			KA12365	KA12235
O-320-E2G (25°,150HP)	X								KA14001	KA12508
O-320-E2G (25°,150HP)				X					KA12364	KA12360
O-320-E2G (25°,150HP)						X			KA12365	KA12235
O-320-E2H (25°,150HP)	X								KA14004	KA12508
O-320-E2H (25°,150HP)				X					KA12364	KA12360
O-320-E2H (25°,150HP)						X			KA12365	KA12235
O-320-E3D (25°,150HP)	X								KA14001	KA12508
O-320-E3D (25°,150HP)				X					KA12364	KA12360
O-320-E3D (25°,150HP)						X			KA12365	KA12235
O-320-E3H (25°,150HP)	X								KA14005	KA12508
O-320-E3H (25°,150HP)				X					KA12364	KA12360
O-320-E3H (25°,150HP)						X			KA12365	KA12235
O-320-H2AD (25°,160HP)								X		*
O-340-A1A (25°,170HP)				X					KA12364	KA12360
O-340-A2A (25°,170HP)				X					KA12364	KA12360
O-360-A1AD (25°,180HP)								X		*
O-360-A1A-nd (25°,180HP)	X								KA14006	KA12508
O-360-A1A-nd (25°,180HP)				X					KA12364	KA12360
O-360-A1A-nd (25°,180HP)						X			KA12365	KA12235
O-360-A1A-wd (25°,180HP)	X								KA14004	KA12508
O-360-A1A-wd (25°,180HP)				X					KA12364	KA12360
O-360-A1A-wd (25°,180HP)						X			KA12365	KA12235
O-360-A1C (25°,180HP)				X					KA12364	KA12360
O-360-A1C (25°,180HP)						X			KA12365	KA12235
O-360-A1D (25°,180HP)	X								KA14004	
O-360-A1D (25°,180HP)	X									
O-360-A1D (25°,180HP)				X					KA12364	KA12360
O-360-A1D (25°,180HP)						X			KA12365	KA12235

LYCOMING ENGINES / ENGINE MODEL	4200 4300	6200 6300	600	S4-20 S4-200	S6-20 S6-200	S4-1200	S6-1200	D2000 D3000	5/8" PLUG E-SIZE	3/4" PLUG H-SIZE
O-360-A1F (25°,180HP)	X								KA14005	KA12508
O-360-A1F (25°,180HP)				X					KA12364	KA12360
O-360-A1F (25°,180HP)						X			KA12365	KA12235
O-360-A1F6 (25°,180HP)	X								KA14005	KA12508
O-360-A1F6 (25°,180HP)						X				KA12235
O-360-A1F6D (25°,180HP)								*10-821414-8 OVERHAULED X		*
O-360-A1G (25°,180HP)	X								KA14005	KA12508
O-360-A1G (25°,180HP)				X					KA12364	KA12360
O-360-A1G (25°,180HP)						X			KA12365	KA12235
O-360-A1G6 (25°,180HP)	X								KA14005	KA12508
O-360-A1G6 (25°,180HP)				X					KA12364	KA12360
O-360-A1G6 (25°,180HP)						X			KA12365	KA12235
O-360-A1G6D (25°,180HP)								*10-821414-6 OVERHAULED X		*
O-360-A1H (25°,180HP)	X								KA14004	KA12508
O-360-A1H (25°,180HP)				X					KA12364	KA12360
O-360-A1H (25°,180HP)						X			KA12365	KA12235
O-360-A1H6 (25°,180HP)	X								KA14001	KA12508
O-360-A1LD (25°,180HP)								*10-821414-6 OVERHAULED X		*
O-360-A1P (25°,180HP)	X								KA14004	KA12508
O-360-A2A (25°,180HP)	X								KA14004	KA12508
O-360-A2A (25°,180HP)				X					KA12364	KA12360
O-360-A2A (25°,180HP)						X			KA12365	KA12235
O-360-A2D (25°,180HP)	X								KA14004	
O-360-A2D (25°,180HP)				X					KA12364	KA12360
O-360-A2D (25°,180HP)						X			KA12365	KA12235
O-360-A2E (25°,180HP)	X								KA14004	KA12508
O-360-A2F (25°,180HP)	X								KA14005	KA12508
O-360-A2F (25°,180HP)				X					KA12364	KA12360
O-360-A2F (25°,180HP)						X			KA12365	KA12235
O-360-A2G (25°,180HP)	X								KA14006	KA12508
O-360-A2G (25°,180HP)				X					KA12364	KA12360
O-360-A2G (25°,180HP)						X			KA12365	KA12235
O-360-A2H (25°,180HP)	X								KA14001	KA12508
O-360-A2H (25°,180HP)				X					KA12364	KA12360
O-360-A2H (25°,180HP)						X			KA12365	KA12235
O-360-A3A (25°,180HP)	X								KA14004	KA12508
O-360-A3A (25°,180HP)				X					KA12364	KA12360
O-360-A3A (25°,180HP)						X			KA12365	KA12235

LYCOMING ENGINES / ENGINE MODEL	4200 4300	6200 6300	600	S4-20 S4-200	S6-20 S6-200	S4-1200	S6-1200	D2000 D3000	5/8" PLUG E-SIZE	3/4" PLUG H-SIZE
O-360-A3AD (25°,180HP)								*10-821414-6 OVERHAULED	X	*
O-360-A3D (25°,180HP)	X								KA14004	KA12508
O-360-A4A (25°,180HP)	X								KA14004	KA12508
O-360-A4A (25°,180HP)				X					KA12364	KA12360
O-360-A4A (25°,180HP)						X			KA12365	KA12235
O-360-A4D (25°,180HP)	X								KA14004	KA12508
O-360-A4G (25°,180HP)	X								KA14006	KA12508
O-360-A4G (25°,180HP)				X					KA12364	KA12360
O-360-A4G (25°,180HP)						X			KA12365	KA12235
O-360-A4J (25°,180HP)	X								KA14004	KA12508
O-360-A4J (25°,180HP)				X						
O-360-A4J (25°,180HP)						X				
O-360-A4K (25°,180HP)	X								KA14001	KA12508
O-360-A4K (25°,180HP)				X					KA12364	KA12360
O-360-A4K (25°,180HP)						X			KA12365	KA12235
O-360-A4M (25°,180HP)	X								KA14001	KA12508
O-360-A4M (25°,180HP)				X					KA12364	KA12360
O-360-A4M (25°,180HP)						X			KA12365	KA12235
O-360-A4N (25°,180HP)	X								KA14002	KA12508
O-360-A4N (25°,180HP)				X					KA12364	KA12360
O-360-A4N (25°,180HP)						X			KA12365	KA12235
O-360-A4P (25°,180HP)	X								KA14001	KA12508
O-360-A5AD (25°,180HP)								*10-821414-6 OVERHAULED	X	*
O-360-B1A (25°,168HP)	X								KA14001	KA12508
O-360-B1A (25°,168HP)				X					KA12364	KA12360
O-360-B1A (25°,168HP)						X			KA12365	KA12235
O-360-B1B (25°,168HP)	X								KA14001	KA12508
O-360-B2A (25°,168HP)	X								KA14004	KA12508
O-360-B2A (25°,168HP)				X					KA12364	KA12360
O-360-B2A (25°,168HP)						X			KA12365	KA12235
O-360-B2B (25°,168HP)	X								KA14001	KA12508
O-360-B2C (25°,168HP)				X					KA12402	
O-360-C1A (25°,180HP)	X								KA14004	KA12508
O-360-C1A (25°,180HP)				X					KA12364	KA12360
O-360-C1A (25°,180HP)						X			KA12365	KA12235
O-360-C1C (25°,180HP)	X								KA14004	KA12508
O-360-C1C (25°,180HP)				X					KA12364	KA12360
O-360-C1C (25°,180HP)						X			KA12365	KA12235

LYCOMING ENGINES / ENGINE MODEL	4200 4300	6200 6300	600	S4-20 S4-200	S6-20 S6-200	S4-1200	S6-1200	D2000 D3000	5/8" PLUG E-SIZE	3/4" PLUG H-SIZE
O-360-C1E (25°,180HP)	X								KA14001	KA12508
O-360-C1E (25°,180HP)				X					KA12364	KA12360
O-360-C1E (25°,180HP)						X			KA12365	KA12235
O-360-C1F (25°,180HP)	X								KA14001	KA12508
O-360-C1F (25°,180HP)				X					KA12364	KA12360
O-360-C1F (25°,180HP)						X			KA12365	KA12235
O-360-C1G (25°,180HP)	X								KA14004	KA12508
O-360-C1G (25°,180HP)				X					KA12364	KA12360
O-360-C1G (25°,180HP)						X			KA12365	KA12235
O-360-C2A (25°,180HP)	X								KA14004	KA12508
O-360-C2A (25°,180HP)				X					KA12364	KA12360
O-360-C2A (25°,180HP)						X			KA12365	KA12235
O-360-C2B (25°,180HP)	X								KA14001	KA12508
O-360-C2B (25°,180HP)				X					KA12364	KA12360
O-360-C2B (25°,180HP)						X			KA12365	KA12235
O-360-C2C (25°,180HP)	X								KA14004	KA12508
O-360-C2C (25°,180HP)				X					KA12364	KA12360
O-360-C2C (25°,180HP)						X			KA12365	KA12235
O-360-C2D (25°,180HP)	X								KA14001	KA12508
O-360-C2E (25°,180HP)	X								KA14001	KA12508
O-360-C2E (25°,180HP)				X					KA12364	KA12360
O-360-C2E (25°,180HP)						X			KA12365	KA12235
O-360-C4F (25°,180HP)	X								KA14001	KA12508
O-360-C4P (25°,180HP)	X								KA14001	KA12508
O-360-D1A (25°,168HP)	X								KA14001	KA12508
O-360-D1A (25°,168HP)				X					KA12364	KA12360
O-360-D1A (25°,168HP)						X			KA12365	KA12235
O-360-D2A (25°,168HP)	X								KA14004	KA12508
O-360-D2A (25°,168HP)				X					KA12364	KA12360
O-360-D2A (25°,168HP)						X			KA12365	KA12235
O-360-D2B (25°,168HP)				X					KA12364	KA12360
O-360-E1A6D (25°,180HP)							*10-821414-4 OVERHAULED	X		*
O-360-F1A6 (25°,180HP)	X								KA14002	KA12508
O-360-F1A6 (25°,180HP)				X					KA12364	KA12360
O-360-F1A6 (25°,180HP)						X			KA12365	KA12235
O-360-G1A6 (25°,180HP)	X								KA14002	KA12508
O-360-G1A6 (25°,180HP)				X					KA12364	KA12360
O-360-G1A6 (25°,180HP)						X			KA12365	KA12235



LYCOMING ENGINES / ENGINE MODEL	4200 4300	6200 6300	600	S4-20 S4-200	S6-20 S6-200	S4-1200	S6-1200	D2000 D3000	5/8" PLUG E-SIZE	3/4" PLUG H-SIZE
O-360-J2A (25°,145HP)				X					KA12402	KA12360
O-540-A1A (25°,250HP)		X							KA16002	KA12896
O-540-A1A (25°,250HP)					X				KA12121	KA12120
O-540-A1A5 (25°,250HP)		X							KA16002	KA12896
O-540-A1A5 (25°,250HP)					X				KA12121	KA12120
O-540-A1A5 (25°,250HP)							X		KA12154	KA12157
O-540-A1B5 (25°,250HP)		X							KA16002	
O-540-A1B5 (25°,250HP)		X							KA16014	KA12896
O-540-A1B5 (25°,250HP)					X				KA12121	KA12120
O-540-A1B5 (25°,250HP)							X		KA12154	KA12157
O-540-A1C5 (25°,250HP)		X							KA16002	KA12896
O-540-A1C5 (25°,250HP)					X				KA12121	KA12120
O-540-A1C5 (25°,250HP)							X		KA12154	KA12157
O-540-A1D (25°,250HP)		X							KA16014	
O-540-A1D (25°,250HP)					X				KA12121	KA12120
O-540-A1D (25°,250HP)							X		KA12154	KA12157
O-540-A1D5 (25°,250HP)		X							KA16014	
O-540-A1D5 (25°,250HP)		X								KA12896
O-540-A1D5 (25°,250HP)		X							KA16002	
O-540-A1D5 (25°,250HP)					X				KA12121	KA12120
O-540-A1D5 (25°,250HP)							X		KA12154	KA12157
O-540-A2B (25°,250HP)		X							KA16002	KA12896
O-540-A2B (25°,250HP)					X				KA12121	KA12120
O-540-A2B (25°,250HP)							X		KA12154	KA12157
O-540-A3D5 (25°,250HP)		X							KA16002	KA12896
O-540-A3D5 (25°,250HP)					X				KA12121	KA12120
O-540-A3D5 (25°,250HP)							X		KA12154	KA12157
O-540-A4A5 (25°,250HP)		X							KA16002	KA12896
O-540-A4A5 (25°,250HP)					X				KA12121	KA12120
O-540-A4A5 (25°,250HP)							X		KA12154	
O-540-A4B5 (25°,250HP)		X							KA16002	KA12896
O-540-A4B5 (25°,250HP)					X				KA12121	KA12120
O-540-A4B5 (25°,250HP)							X		KA12154	
O-540-A4C5 (25°,250HP)		X							KA16002	KA12896
O-540-A4D5 (25°,250HP)		X							KA16014	KA12896
O-540-A4D5 (25°,250HP)					X				KA12121	KA12120
O-540-A4D5 (25°,250HP)							X		KA12154	KA12157
O-540-B1A5 (25°,235HP)		X							KA16014	KA12896

LYCOMING ENGINES / ENGINE MODEL	4200 4300	6200 6300	600	S4-20 S4-200	S6-20 S6-200	S4-1200	S6-1200	D2000 D3000	5/8" PLUG E-SIZE	3/4" PLUG H-SIZE
O-540-B1A5 (25°,235HP)					X				KA12121	KA12120
O-540-B1A5 (25°,235HP)							X		KA12154	KA12157
O-540-B1B5 (25°,235HP)					X				KA12121	KA12120
O-540-B1B5 (25°,235HP)							X		KA12154	KA12157
O-540-B1D5 (25°,235HP)		X							KA16014	KA12896
O-540-B2A5 (25°,235HP)		X							KA16014	
O-540-B2A5 (25°,235HP)					X				KA12121	KA12120
O-540-B2A5 (25°,235HP)							X		KA12154	KA12157
O-540-B2B5 (25°,235HP)		X							KA16002	KA12896
O-540-B2B5 (25°,235HP)					X				KA12121	KA12120
O-540-B2B5 (25°,235HP)							X		KA12154	KA12157
O-540-B2B5-wd (25°,235HP)		X								KA12896
O-540-B2B5-wd (25°,235HP)					X				KA12121	KA12120
O-540-B2B5-wd (25°,235HP)							X		KA12154	KA12157
O-540-B2C5 (25°,235HP)		X								KA12896
O-540-B2C5 (25°,235HP)		X								
O-540-B2C5 (25°,235HP)					X				KA12121	KA12120
O-540-B2C5 (25°,235HP)							X			KA12157
O-540-B2C5 (25°,235HP)							X		KA12154	
O-540-B2C5-wd (25°,235HP)		X							KA16001	KA12896
O-540-B2C5-wd (25°,235HP)					X				KA12121	KA12120
O-540-B2C5-wd (25°,235HP)							X		KA12154	KA12157
O-540-B4A5 (25°,235HP)					X				KA12121	KA12120
O-540-B4A5 (25°,235HP)							X		KA12154	KA12157
O-540-B4B5 (25°,235HP)		X								KA12896
O-540-B4B5 (25°,235HP)					X				KA12121	KA12120
O-540-B4B5 (25°,235HP)							X		KA12154	KA12157
O-540-B4B5-wd (25°,235HP)		X								KA12896
O-540-B4B5-wd (25°,235HP)					X				KA12121	KA12120
O-540-B4B5-wd (25°,235HP)							X		KA12154	KA12157
O-540-D1A5 (25°,250HP)		X							KA16014	
O-540-D1A5 (25°,250HP)		X							KA16002	KA12896
O-540-D1A5 (25°,250HP)					X				KA12121	KA12120
O-540-D1A5 (25°,250HP)							X		KA12154	KA12157
O-540-E4A5 (25°,260HP)		X							KA16014	
O-540-E4A5 (25°,260HP)		X							KA16002	KA12896
O-540-E4A5 (25°,260HP)					X				KA12121	KA12120
O-540-E4A5 (25°,260HP)							X		KA12154	KA12157

LYCOMING ENGINES / ENGINE MODEL	4200 4300	6200 6300	600	S4-20 S4-200	S6-20 S6-200	S4-1200	S6-1200	D2000 D3000	5/8" PLUG E-SIZE	3/4" PLUG H-SIZE
O-540-E4B5 (25°,260HP)		X							KA16002	KA12896
O-540-E4B5 (25°,260HP)					X				KA12121	KA12120
O-540-E4B5 (25°,260HP)							X		KA12154	KA12157
O-540-E4B5-wd (25°,260HP)		X								KA12896
O-540-E4B5-wd (25°,260HP)					X				KA12121	KA12120
O-540-E4B5-wd (25°,260HP)							X		KA12154	KA12157
O-540-E4C5 (25°,260HP)		X								
O-540-E4C5 (25°,260HP)					X				KA12121	
O-540-E4C5 (25°,260HP)							X		KA12154	KA12157
O-540-F1A5 (25°,260HP)		X							KA16002	KA12896
O-540-F1B5 (25°,260HP)		X							KA16014	
O-540-F1B5 (25°,260HP)					X				KA12121	KA12120
O-540-F1B5 (25°,260HP)							X		KA12154	KA12157
O-540-G1A5 (25°,260HP)		X								
O-540-G1A5 (25°,260HP)					X				KA12121	KA12120
O-540-G1A5 (25°,260HP)							X		KA12154	KA12157
O-540-G1A5-wd (25°,260HP)		X							KA16001	
O-540-G1A5-wd (25°,260HP)					X				KA12121	KA12120
O-540-G1A5-wd (25°,260HP)							X		KA12154	KA12157
O-540-G2A5 (25°,260HP)		X								
O-540-G2A5 (25°,260HP)							X		KA12154	KA12157
O-540-G2A5 (25°,260HP)					X				KA12121	KA12120
O-540-G2A5-wd (25°,260HP)		X								
O-540-G2A5-wd (25°,260HP)					X				KA12121	KA12120
O-540-G2A5-wd (25°,260HP)							X		KA12154	KA12157
O-540-H1A5 (25°,260HP)		X								
O-540-H1B5D (25°,260HP)					*10-821614-6 OVERHAULED			X		*
O-540-H2A5 (25°,260HP)		X							KA16002	KA12896
O-540-H2A5 (25°,260HP)					X				KA12121	KA12120
O-540-H2A5 (25°,260HP)							X		KA12154	KA12157
O-540-H2B5D (25°,260HP)					*10-821614-6 OVERHAULED			X		*
O-540-J1A5D (23°,235HP)					*10-821614-6 OVERHAULED			X		*
O-540-J3A5 (23°,235HP)		X							KA16002	KA12896
O-540-J3A5D (23°,235HP)					*10-821614-6 OVERHAULED			X		*
O-540-J3C5D (25°,235HP)					*10-821614-6 OVERHAULED			X		*
O-540-L3C5D (25°,235HP)					*10-821614-6 OVERHAULED			X		*
TIGO-541-D1B (20°,450HP)							X			KA12890
TIGO-541-E1A (20°,425HP)							X			KA12890

LYCOMING ENGINES / ENGINE MODEL	4200 4300	6200 6300	600	S4-20 S4-200	S6-20 S6-200	S4-1200	S6-1200	D2000 D3000	5/8" PLUG E-SIZE	3/4" PLUG H-SIZE
TIO-540-A1A (20°,310HP)							X			
TIO-540-A1B (20°,310HP)							X			
TIO-540-A2A (20°,310HP)							X			
TIO-540-A2B (20°,310HP)							X			
TIO-540-A2B (20°,310HP)		X								KA16044
TIO-540-A2C (20°,310HP)							X			
TIO-540-A2C (20°,310HP)		X								KA16044
TIO-540-AE2A (20°,350HP)		X								KA16044
TIO-540-AF1A (20°,270HP)		X								KA16044
TIO-540-AG1A (20°,270HP)		X								KA16044
TIO-540-C1A (20°,250HP)					X				KA12121	KA12120
TIO-540-C1A (20°,250HP)							X		KA12790	KA12851
TIO-540-F2BD (20°,325HP)					*10-821625-4 OVERHAULED			X		*
TIO-540-J2B (20°,350HP)		X								
TIO-540-J2BD (20°,350HP)					*10-821625-4 OVERHAULED			X		*
TIO-540-N2BD (20°,350HP)					*10-821625-4 OVERHAULED			X		*
TIO-540-R2AD (20°,350HP)					*10-821625-4 OVERHAULED			X		*
TIO-540-S1AD (20°,300HP)					*10-821615-20 OVERHAULED			X		*
TIO-540-U2A (20°,350HP)		X								KA16044
TIO-540-V2AD (20°,350HP)					*10-821625-34 OVERHAULED			X		*
TIO-540-W2A (20°,350HP)		X								
TIO-540-W2B (20°,350HP)		X								KA16044
TIO-541-A1A (20°,310HP)							X			KA12628
TIO-541-E1A4 (20°,380HP)							X			KA12628
TIO-541-E1B4 (20°,380HP)							X			KA12628
TIO-541-E1C4 (20°,380HP)							X			KA12628
TIVO-540-A2A (25°,315HP)					X					
TO-360-C1A6D (20°,210HP)					*10-821414-10 OVERHAULED			X		*
TVO-435-A1A (25°,260HP)					X					KA12865
TVO-435-B1A - 1/2 (25°,270HP)					X				KA12712	KA12865
TVO-435-B1A - 1/2 (25°,270HP)							X		KA12709	KA12447
TVO-435-B1A - 13/16 (25°,270HP)					X				KA12712	KA12865
TVO-435-B1A - 13/16 (25°,270HP)							X		KA12709	KA12447
TVO-435-B1B (25°,270HP)							X			KA12447
TVO-435-D1A (25°,270HP)							X			KA12447
TVO-435-D1A (25°,270HP)					X				KA12712	

LYCOMING ENGINES / ENGINE MODEL	4200 4300	6200 6300	600	S4-20 S4-200	S6-20 S6-200	S4-1200	S6-1200	D2000 D3000	5/8" PLUG E-SIZE	3/4" PLUG H-SIZE
TVO-435-D1B (25°,270HP)					X				KA12712	KA12865
TVO-435-F1A (25°,280HP)					X				KA12712	KA12865
TVO-435-F1A (25°,280HP)							X		KA12709	KA12447
TVO-435-G1A (25°,280HP)							X			KA12447
TVO-435-G1A (25°,280HP)					X				KA12712	
TVO-435-G1B (25°,280HP)					X				KA12712	KA12865
VO-435-A1B - 1/2 (25°,260HP)					X					
VO-435-A1B - 13/16 (25°,260HP)					X					
VO-435-A1C - 1/2 (25°,260HP)					X					
VO-435-A1C - 13/16 (25°,260HP)					X					
VO-435-A1D - 1/2 (25°,260HP)					X					
VO-435-A1D - 13/16 (25°,260HP)					X					
VO-435-A1E - 1/2 (25°,260HP)					X					
VO-435-A1E - 13/16 (25°,260HP)					X					
VO-435-A1F - 1/2 (25°,260HP)					X					KA12865
VO-435-A1F - 13/16 (25°,260HP)					X					KA12865
VO-435-B1A - 1/2 (25°,265HP)					X					KA12865
VO-435-B1A - 1/2 (25°,265HP)							X			KA12447
VO-435-B1A - 13/16 (25°,265HP)					X					KA12865
VO-435-B1A - 13/16 (25°,265HP)							X			KA12447
VO-540-A1A (25°,310HP)					X					
VO-540-B1A (25°,305HP)					X					
VO-540-B1B (25°,305HP)					X					
VO-540-B1B3 (25°,305HP)					X					
VO-540-B1C (25°,305HP)					X					
VO-540-B1D (25°,305HP)					X					
VO-540-B1F (25°,305HP)					X					
VO-540-B2A (25°,305HP)					X					
VO-540-B2D (25°,305HP)					X					

LYCOMING ENGINES / ENGINE MODEL	4200 4300	6200 6300	600	S4-20 S4-200	S6-20 S6-200	S4-1200	S6-1200	D2000 D3000	5/8" PLUG E-SIZE	3/4" PLUG H-SIZE
VO-540-C1A (25°,315HP)					X					
VO-540-C1B (25°,315HP)					X					
VO-540-C1C3 (25°,305HP)					X					
VO-540-C2A (25°,315HP)					X					
VO-540-C2C (25°,315HP)							X			
SUPERIOR ENGINES / ENGINE MODEL	4200 4300	6200 6300	600	S4-20 S4-200	S6-20 S6-200	S4-1200	S6-1200	D2000 D3000	5/8" PLUG E-SIZE	3/4" PLUG H-SIZE
IO-360 (25°,180HP)	X								KA14001	
O-360 (25°,180HP)	X								KA14001	
TCM / CMI ENGINES / ENGINE MODEL	4200 4300	6200 6300	600	S4-20 S4-200	S6-20 S6-200	S4-1200	S6-1200	D2000 D3000	5/8" PLUG E-SIZE	3/4" PLUG H-SIZE
A-65-1 (30°,65HP)	X								KA12045	
A-65-1 (30°,65HP)				X					KA12351	
A-65-3 (30°,65HP)	X								KA12045	
A-65-3 (30°,65HP)				X					KA12351	
A-65-6 (30°,65HP)	X								KA12045	
A-65-6 (30°,65HP)				X					KA12351	
A-65-6J (30°,65HP)	X								KA12045	
A-65-6J (30°,65HP)				X					KA12351	
A-65-7 (30°,65HP)	X								KA12045	
A-65-7 (30°,65HP)				X					KA12351	
A-65-8 (30°,65HP)	X								KA12045	
A-65-8 (30°,65HP)				X					KA12351	
A-65-8F (30°,65HP)	X								KA12045	
A-65-8F (30°,65HP)				X					KA12351	
A-65-8FJ (30°,65HP)	X								KA12045	
A-65-8FJ (30°,65HP)				X					KA12351	
A-65-8J (30°,65HP)	X								KA12045	
A-65-8J (30°,65HP)				X					KA12351	
A-65-9 (30°,65HP)	X								KA12045	
A-65-9 (30°,65HP)				X					KA12351	
A-65-9F (30°,65HP)	X								KA12045	
A-65-9F (30°,65HP)				X					KA12351	
A-65-9FJ (30°,65HP)				X					KA12351	
A-65-9FJ (30°,65HP)	X								KA12045	
A-65-9J (30°,65HP)				X					KA12351	
A-75-3 (30°,75HP)	X								KA12045	
A-75-6 (30°,75HP)	X								KA12045	
A-75-6J (30°,75HP)	X								KA12045	

TCM / CMI ENGINES / ENGINE MODEL	4200 4300	6200 6300	600	S4-20 S4-200	S6-20 S6-200	S4-1200	S6-1200	D2000 D3000	5/8" PLUG E-SIZE	3/4" PLUG H-SIZE
A-75-8 (30°,75HP)	X								KA12045	
A-75-8F (30°,75HP)	X								KA12045	
A-75-8FJ (30°,75HP)	X								KA12045	
A-75-8J (30°,75HP)	X								KA12045	
A-75-9 (30°,75HP)	X								KA12045	
A-75-9J (30°,75HP)	X								KA12045	
C-75-12 (30°,75HP)	X								KA11780	
C-75-12 (30°,75HP)				X					KA12007	
C-75-12F (30°,75HP)	X								KA11780	
C-75-12F (30°,75HP)				X					KA12007	
C-75-12FH (30°,75HP)	X								KA11780	
C-75-12FH (30°,75HP)				X					KA12007	
C-75-12FHJ (30°,75HP)	X								KA11780	
C-75-12FHJ (30°,75HP)				X					KA12007	
C-75-12FJ (30°,75HP)	X								KA11780	
C-75-12FJ (30°,75HP)				X					KA12007	
C-75-12J (30°,75HP)	X								KA11780	
C-75-12J (30°,75HP)				X					KA12007	
C-75-15 (30°,75HP)	X								KA11780	
C-75-15 (30°,75HP)				X					KA12007	
C-75-15F (30°,75HP)	X								KA11780	
C-75-15F (30°,75HP)				X					KA12007	
C-75-8 (30°,75HP)	X								KA12045	
C-75-8 (30°,75HP)				X					KA12351	
C-75-8F (30°,75HP)	X								KA12045	
C-75-8F (30°,75HP)				X					KA12351	
C-75-8FH (30°,75HP)	X								KA12045	
C-75-8FH (30°,75HP)				X					KA12351	
C-75-8FHJ (30°,75HP)	X								KA12045	
C-75-8FHJ (30°,75HP)				X					KA12351	
C-75-8FJ (30°,75HP)	X								KA12045	
C-75-8FJ (30°,75HP)				X					KA12351	
C-75-8J (30°,75HP)	X								KA12045	
C-75-8J (30°,75HP)				X					KA12351	
C-85-12 (30°,85HP)	X								KA11780	
C-85-12 (30°,85HP)				X					KA12007	
C-85-12F (30°,85HP)	X								KA11780	
C-85-12F (30°,85HP)				X					KA12007	



TCM / CMI ENGINES / ENGINE MODEL	4200 4300	6200 6300	600	S4-20 S4-200	S6-20 S6-200	S4-1200	S6-1200	D2000 D3000	5/8" PLUG E-SIZE	3/4" PLUG H-SIZE
C-85-12FH (30°,85HP)	X								KA11780	
C-85-12FH (30°,85HP)				X					KA12007	
C-85-12FHJ (30°,85HP)	X								KA11780	
C-85-12FHJ (30°,85HP)				X					KA12007	
C-85-12FJ (30°,85HP)	X								KA11780	
C-85-12FJ (30°,85HP)				X					KA12007	
C-85-12J (30°,85HP)	X								KA11780	
C-85-12J (30°,85HP)				X					KA12007	
C-85-14 (30°,85HP)	X								KA11780	
C-85-14 (30°,85HP)				X					KA12007	
C-85-14F (30°,85HP)	X								KA11780	
C-85-14F (30°,85HP)				X					KA12007	
C-85-15 (30°,85HP)	X								KA11780	
C-85-15 (30°,85HP)				X					KA12007	
C-85-15F (30°,85HP)	X								KA11780	
C-85-15F (30°,85HP)				X					KA12007	
C-85-8 (30°,85HP)	X								KA12045	
C-85-8 (30°,85HP)				X					KA12351	
C-85-8F (30°,85HP)	X								KA12045	
C-85-8F (30°,85HP)				X					KA12351	
C-85-8FHJ (30°,87HP)	X								KA12045	
C-85-8FHJ (30°,87HP)				X					KA12351	
C-85-8FJ (30°,87HP)	X								KA12045	
C-85-8FJ (30°,87HP)				X					KA12351	
C-85-8J (30°,87HP)	X								KA12045	
C-85-8J (30°,87HP)				X					KA12351	
C-90-12F (30°,95HP)	X								KA11780	
C-90-12F (30°,95HP)				X					KA12007	
C-90-12FH (30°,95HP)	X								KA11780	
C-90-12FH (30°,95HP)				X					KA12007	
C-90-12FJ (30°,95HP)	X								KA11780	
C-90-12FJ (30°,95HP)				X					KA12007	
C-90-12FP (30°,95HP)	X								KA11780	
C-90-12FP (30°,95HP)				X					KA12007	
C-90-14F (30°,95HP)	X								KA11780	
C-90-14F (30°,95HP)				X					KA12007	
C-90-14FH (30°,95HP)	X								KA11780	
C-90-14FH (30°,95HP)				X					KA12007	

TCM / CMI ENGINES / ENGINE MODEL	4200 4300	6200 6300	600	S4-20 S4-200	S6-20 S6-200	S4-1200	S6-1200	D2000 D3000	5/8" PLUG E-SIZE	3/4" PLUG H-SIZE
C-90-14FJ (30°,95HP)	X								KA11780	
C-90-14FJ (30°,95HP)				X					KA12007	
C-90-16F (30°,95HP)	X								KA11780	
C-90-16F (30°,95HP)				X					KA12007	
C-90-8F (30°,95HP)	X								KA12045	
C-90-8F (30°,95HP)				X					KA12351	
C-90-8FJ (30°,95HP)	X								KA12045	
C-90-8FJ (30°,95HP)				X					KA12351	
C-125-2 (28°,125HP)					X				KA12130	
C-125-2 (28°,125HP)					X					
C-145-2 (26°,145HP)		X							KA12932	
C-145-2 (26°,145HP)			X						KA11884	KA12318
C-145-2 (26°,145HP)					X				KA12130	
C-145-2 (26°,145HP)					X					
C-145-2H (26°,145HP)		X							KA12932	
C-145-2H (26°,145HP)			X						KA11884	KA12318
C-145-2H (26°,145HP)					X				KA12130	
C-145-2HP (26°,145HP)		X							KA12932	
C-145-2HP (26°,145HP)			X						KA11884	KA12318
C-145-2HP (26°,145HP)					X				KA12130	
E-165-2 (26°,165HP)		X								
E-165-2 (26°,165HP)					X				KA12176	KA12339
E-165-3 (26°,165HP)		X								
E-165-3 (26°,165HP)					X				KA12176	KA12339
E-165-4 (26°,165HP)		X								
E-165-4 (26°,165HP)					X				KA12176	KA12339
E-185-1 (26°,205HP)		X								
E-185-1 (26°,205HP)					X				KA12176	KA12339
E-185-10 (26°,205HP)		X								
E-185-10 (26°,205HP)					X				KA12176	KA12339
E-185-11 (26°,205HP)		X								
E-185-11 (26°,205HP)					X				KA12176	KA12339
E-185-2 (26°,185HP)		X								
E-185-2 (26°,185HP)					X				KA12176	KA12339
E-185-3 (26°,205HP)		X								
E-185-3 (26°,205HP)					X				KA12176	KA12339
E-185-5 (26°,185HP)		X								
E-185-5 (26°,185HP)					X				KA12176	KA12339

TCM / CMI ENGINES / ENGINE MODEL	4200 4300	6200 6300	600	S4-20 S4-200	S6-20 S6-200	S4-1200	S6-1200	D2000 D3000	5/8" PLUG E-SIZE	3/4" PLUG H-SIZE
E-185-8 (26°,205HP)		X								
E-185-8 (26°,205HP)					X				KA12176	KA12339
E-185-9 (26°,205HP)		X								
E-185-9 (26°,205HP)					X				KA12176	KA12339
E-225-2 (26°,225HP)		X								
E-225-2 (26°,225HP)					X				KA12176	KA12339
E-225-4 (26°,225HP)		X								
E-225-4 (26°,225HP)					X				KA12176	KA12339
E-225-8 (26°,225HP)		X								
E-225-8 (26°,225HP)					X				KA12176	KA12339
E-225-9 (26°,225HP)		X								
E-225-9 (26°,225HP)					X				KA12176	KA12339
GO-300-A (28°,175HP)		X							KA12938	
GO-300-A (28°,175HP)			X							
GO-300-A (28°,175HP)					X					
GO-300-B (28°,175HP)		X							KA12938	
GO-300-B (28°,175HP)			X							
GO-300-B (28°,175HP)					X					
GO-300-C (28°,175HP)		X							KA12938	
GO-300-C (28°,175HP)			X							
GO-300-C (28°,175HP)					X					
GO-300-D (28°,175HP)		X							KA12938	
GO-300-D (28°,175HP)			X							
GO-300-D (28°,175HP)					X					
GO-300-E (28°,175HP)		X							KA12938	
GO-300-E (28°,175HP)			X							
GO-300-E (28°,175HP)					X					
GTSIO-520-C (22°,340HP)					X					
GTSIO-520-C (22°,340HP)							X			KA11950
GTSIO-520-D (20°,375HP)					X					
GTSIO-520-D (20°,375HP)							X			KA11950
GTSIO-520-E (20°,375HP)					X					
GTSIO-520-E (20°,375HP)							X			KA11950
GTSIO-520-F (20°,435HP)					X					
GTSIO-520-F (20°,435HP)							X			KA11950
GTSIO-520-H (20°,375HP)					X					
GTSIO-520-H (20°,375HP)							X			KA11950
GTSIO-520-K (20°,435HP)					X					

TCM / CMI ENGINES / ENGINE MODEL	4200 4300	6200 6300	600	S4-20 S4-200	S6-20 S6-200	S4-1200	S6-1200	D2000 D3000	5/8" PLUG E-SIZE	3/4" PLUG H-SIZE
GTSIO-520-K (20°,435HP)							X			KA11950
GTSIO-520-L (24°,375HP)					X					
GTSIO-520-L (24°,375HP)							X			KA11950
GTSIO-520-M (24°,375HP)					X					
GTSIO-520-M (24°,375HP)							X			KA11950
GTSIO-520-N (24°,375HP)					X					
GTSIO-520-N (24°,375HP)							X			KA11950
IO-240-B (26°,125HP)	X									KA14045
IO-346-A (24°,165HP)				X						
IO-346-B (24°,165HP)				X						
IO-360-A (20°,210HP)					X					KA12015
IO-360-A (20°,210HP)		X								KA12778
IO-360-A (20°,210HP)							X			
IO-360-B (20°,180HP)					X					KA12015
IO-360-B (20°,180HP)		X								KA12778
IO-360-B (20°,180HP)							X			
IO-360-C (20°,210HP)					X					KA12015
IO-360-C (20°,210HP)		X								KA12778
IO-360-C (20°,210HP)							X			
IO-360-CB (20°,210HP)					X					KA12015
IO-360-CB (20°,210HP)		X								KA12778
IO-360-CB (20°,210HP)							X			
IO-360-D (20°,210HP)					X					KA12015
IO-360-D (20°,210HP)		X								KA12778
IO-360-D (20°,210HP)							X			
IO-360-DB (20°,210HP)					X					KA12015
IO-360-DB (20°,210HP)		X								KA12778
IO-360-DB (20°,210HP)							X			
IO-360-E (20°,210HP)					X					KA12015
IO-360-E (20°,210HP)		X								KA12778
IO-360-E (20°,210HP)							X			
IO-360-ES (24°,210HP)					X					KA12015
IO-360-ES (24°,210HP)		X								KA12778
IO-360-ES (24°,210HP)							X			
IO-360-G (20°,210HP)					X					KA12015
IO-360-G (20°,210HP)		X								KA12778
IO-360-G (20°,210HP)							X			
IO-360-GB (20°,210HP)					X					KA12015

TCM / CMI ENGINES / ENGINE MODEL	4200 4300	6200 6300	600	S4-20 S4-200	S6-20 S6-200	S4-1200	S6-1200	D2000 D3000	5/8" PLUG E-SIZE	3/4" PLUG H-SIZE
IO-360-GB (20°,210HP)		X								KA12778
IO-360-GB (20°,210HP)							X			
IO-360-H (20°,210HP)					X					KA12015
IO-360-H (20°,210HP)		X								KA12778
IO-360-H (20°,210HP)							X			
IO-360-HB (20°,210HP)					X					KA12015
IO-360-HB (20°,210HP)		X								KA12778
IO-360-HB (20°,210HP)							X			
IO-360-J (20°,210HP)					X					KA12015
IO-360-J (20°,210HP)		X								KA12778
IO-360-J (20°,210HP)							X			
IO-360-JB (20°,210HP)					X					KA12015
IO-360-JB (20°,210HP)		X								KA12778
IO-360-JB (20°,210HP)							X			
IO-360-K (20°,195HP)					X					KA12015
IO-360-K (20°,195HP)		X								KA12778
IO-360-K (20°,195HP)							X			
IO-360-KB (20°,195HP)					X					KA12015
IO-360-KB (20°,195HP)		X								KA12778
IO-360-KB (20°,195HP)							X			
IO-470-A (24°,240HP)		X							KA12828	KA12381
IO-470-A (24°,240HP)			X						KA11878	KA11480
IO-470-A (24°,240HP)			X						KA11878	
IO-470-A (24°,240HP)					X				KA11978	KA11730
IO-470-A (24°,240HP)							X			KA12216
IO-470-C (26°,250HP)		X							KA12828	KA12381
IO-470-C (26°,250HP)			X						KA11878	KA11480
IO-470-C (26°,250HP)			X						KA11878	
IO-470-C (26°,250HP)					X				KA11978	KA11730
IO-470-C (26°,250HP)							X			KA12216
IO-470-D (20°,260HP)		X							KA12828	KA12381
IO-470-D (20°,260HP)			X						KA11878	KA11480
IO-470-D (20°,260HP)			X						KA11878	
IO-470-D (20°,260HP)					X				KA11978	KA11730
IO-470-D (20°,260HP)							X			KA12216
IO-470-E (20°,260HP)		X							KA12828	KA12381
IO-470-E (20°,260HP)			X						KA11878	KA11480
IO-470-E (20°,260HP)			X						KA11878	

TCM / CMI ENGINES / ENGINE MODEL	4200 4300	6200 6300	600	S4-20 S4-200	S6-20 S6-200	S4-1200	S6-1200	D2000 D3000	5/8" PLUG E-SIZE	3/4" PLUG H-SIZE
IO-470-E (20°,260HP)					X				KA11978	KA11730
IO-470-E (20°,260HP)							X			KA12216
IO-470-F (20°,260HP)		X							KA12828	KA12381
IO-470-F (20°,260HP)			X						KA11878	KA11480
IO-470-F (20°,260HP)			X						KA11878	
IO-470-F (20°,260HP)					X				KA11978	KA11730
IO-470-F (20°,260HP)							X			KA12216
IO-470-G (26°,250HP)		X							KA12828	KA12381
IO-470-G (26°,250HP)			X						KA11878	KA11480
IO-470-G (26°,250HP)			X						KA11878	
IO-470-G (26°,250HP)					X				KA11978	KA11730
IO-470-G (26°,250HP)							X			KA12216
IO-470-H (20°,260HP)		X							KA12828	KA12381
IO-470-H (20°,260HP)			X						KA11878	KA11480
IO-470-H (20°,260HP)			X						KA11878	
IO-470-H (20°,260HP)					X				KA11978	KA11730
IO-470-H (20°,260HP)							X			KA12216
IO-470-J (22°,225HP)		X							KA12828	KA12381
IO-470-J (22°,225HP)			X						KA11878	KA11480
IO-470-J (22°,225HP)			X						KA11878	
IO-470-J (22°,225HP)					X				KA11978	KA11730
IO-470-J (22°,225HP)							X			KA12216
IO-470-K (22°,225HP)		X							KA12828	KA12381
IO-470-K (22°,225HP)			X						KA11878	KA11480
IO-470-K (22°,225HP)			X						KA11878	
IO-470-K (22°,225HP)					X				KA11978	KA11730
IO-470-K (22°,225HP)							X			KA12216
IO-470-L (20°,260HP)		X							KA12828	KA12381
IO-470-L (20°,260HP)			X						KA11878	KA11480
IO-470-L (20°,260HP)			X						KA11878	
IO-470-L (20°,260HP)					X				KA11978	KA11730
IO-470-L (20°,260HP)							X			KA12216
IO-470-LO (20°,260HP)		X							KA12828	KA12381
IO-470-LO (20°,260HP)			X						KA11878	KA11480
IO-470-LO (20°,260HP)			X						KA11878	
IO-470-LO (20°,260HP)					X				KA11978	KA11730
IO-470-LO (20°,260HP)							X			KA12216
IO-470-M (20°,260HP)		X							KA12828	KA12381

TCM / CMI ENGINES / ENGINE MODEL	4200 4300	6200 6300	600	S4-20 S4-200	S6-20 S6-200	S4-1200	S6-1200	D2000 D3000	5/8" PLUG E-SIZE	3/4" PLUG H-SIZE
IO-470-M (20°,260HP)			X						KA11878	KA11480
IO-470-M (20°,260HP)			X						KA11878	
IO-470-M (20°,260HP)					X				KA11978	KA11730
IO-470-M (20°,260HP)							X			KA12216
IO-470-N (20°,260HP)		X							KA12828	KA12381
IO-470-N (20°,260HP)			X						KA11878	KA11480
IO-470-N (20°,260HP)			X						KA11878	
IO-470-N (20°,260HP)					X				KA11978	KA11730
IO-470-N (20°,260HP)							X			KA12216
IO-470-P (26°,250HP)		X							KA12828	KA12381
IO-470-P (26°,250HP)			X						KA11878	KA11480
IO-470-P (26°,250HP)			X						KA11878	
IO-470-P (26°,250HP)					X				KA11978	KA11730
IO-470-P (26°,250HP)							X			KA12216
IO-470-R (26°,250HP)		X							KA12828	KA12381
IO-470-R (26°,250HP)			X						KA11878	KA11480
IO-470-R (26°,250HP)			X						KA11878	
IO-470-R (26°,250HP)					X				KA11978	KA11730
IO-470-R (26°,250HP)							X			KA12216
IO-470-S (20°,260HP)		X							KA12828	KA12381
IO-470-S (20°,260HP)			X						KA11878	KA11480
IO-470-S (20°,260HP)					X				KA11978	KA11730
IO-470-S (20°,260HP)							X			KA12216
IO-470-T (26°,250HP)		X							KA12828	KA12381
IO-470-T (26°,250HP)			X						KA11878	KA11480
IO-470-T (26°,250HP)					X				KA11978	KA11730
IO-470-T (26°,250HP)							X			KA12216
IO-470-U (20°,260HP)		X							KA12828	KA12381
IO-470-U (20°,260HP)			X						KA11878	KA11480
IO-470-U (20°,260HP)					X				KA11978	KA11730
IO-470-U (20°,260HP)							X			KA12216
IO-470-V (20°,260HP)		X							KA12828	KA12381
IO-470-V (20°,260HP)			X						KA11878	KA11480
IO-470-V (20°,260HP)					X				KA11978	KA11730
IO-470-V (20°,260HP)							X			KA12216
IO-470-VO (20°,260HP)		X							KA12828	KA12381
IO-470-VO (20°,260HP)			X						KA11878	KA11480
IO-470-VO (20°,260HP)					X				KA11978	KA11730



TCM / CMI ENGINES / ENGINE MODEL	4200 4300	6200 6300	600	S4-20 S4-200	S6-20 S6-200	S4-1200	S6-1200	D2000 D3000	5/8" PLUG E-SIZE	3/4" PLUG H-SIZE
IO-470-VO (20°,260HP)							X			KA12216
IO-520-A (22°,285HP)		X							KA12828	KA12381
IO-520-A (22°,285HP)			X						KA11878	KA11480
IO-520-A (22°,285HP)			X						KA11878	
IO-520-A (22°,285HP)					X				KA11978	KA11730
IO-520-A (22°,285HP)							X			KA11740
IO-520-B (22°,285HP)		X							KA12828	KA12381
IO-520-B (22°,285HP)			X						KA11878	KA11480
IO-520-B (22°,285HP)			X						KA11878	
IO-520-B (22°,285HP)					X				KA11978	KA11730
IO-520-B (22°,285HP)							X			KA11740
IO-520-BA (22°,285HP)		X							KA12828	KA12381
IO-520-BA (22°,285HP)			X						KA11878	KA11480
IO-520-BA (22°,285HP)			X						KA11878	
IO-520-BA (22°,285HP)					X				KA11978	KA11730
IO-520-BA (22°,285HP)							X			KA11740
IO-520-BB (22°,285HP)		X							KA12828	KA12381
IO-520-BB (22°,285HP)			X						KA11878	KA11480
IO-520-BB (22°,285HP)			X						KA11878	
IO-520-BB (22°,285HP)					X				KA11978	KA11730
IO-520-BB (22°,285HP)							X			KA11740
IO-520-C (22°,285HP)		X							KA12828	KA12381
IO-520-C (22°,285HP)			X						KA11878	KA11480
IO-520-C (22°,285HP)			X						KA11878	
IO-520-C (22°,285HP)					X				KA11978	KA11730
IO-520-C (22°,285HP)							X			KA11740
IO-520-CB (22°,285HP)		X							KA12828	KA12381
IO-520-CB (22°,285HP)			X						KA11878	KA11480
IO-520-CB (22°,285HP)			X						KA11878	
IO-520-CB (22°,285HP)					X				KA11978	KA11730
IO-520-CB (22°,285HP)							X			KA11740
IO-520-D (22°,300HP)		X							KA12828	KA12381
IO-520-D (22°,300HP)			X						KA11878	KA11480
IO-520-D (22°,300HP)			X						KA11878	
IO-520-D (22°,300HP)					X				KA11978	KA11730
IO-520-D (22°,300HP)							X			KA11740
IO-520-E (22°,300HP)		X							KA12828	KA12381
IO-520-E (22°,300HP)			X						KA11878	KA11480

TCM / CMI ENGINES / ENGINE MODEL	4200 4300	6200 6300	600	S4-20 S4-200	S6-20 S6-200	S4-1200	S6-1200	D2000 D3000	5/8" PLUG E-SIZE	3/4" PLUG H-SIZE
IO-520-E (22°,300HP)			X						KA11878	
IO-520-E (22°,300HP)					X				KA11978	KA11730
IO-520-E (22°,300HP)							X			KA11740
IO-520-F (22°,300HP)		X							KA12828	KA12381
IO-520-F (22°,300HP)			X						KA11878	KA11480
IO-520-F (22°,300HP)			X						KA11878	
IO-520-F (22°,300HP)					X				KA11978	KA11730
IO-520-F (22°,300HP)							X			KA11740
IO-520-J (22°,285HP)		X							KA12828	KA12381
IO-520-J (22°,285HP)			X						KA11878	KA11480
IO-520-J (22°,285HP)			X						KA11878	
IO-520-J (22°,285HP)					X				KA11978	KA11730
IO-520-J (22°,285HP)							X			KA11740
IO-520-K (22°,300HP)		X							KA12828	KA12381
IO-520-K (22°,300HP)			X						KA11878	KA11480
IO-520-K (22°,300HP)			X						KA11878	
IO-520-K (22°,300HP)					X				KA11978	KA11730
IO-520-K (22°,300HP)							X			KA11740
IO-520-L (22°,300HP)		X							KA12828	KA12381
IO-520-L (22°,300HP)			X						KA11878	KA11480
IO-520-L (22°,300HP)			X						KA11878	
IO-520-L (22°,300HP)					X				KA11978	KA11730
IO-520-L (22°,300HP)							X			KA11740
IO-520-M (22°,285HP)		X							KA12828	KA12381
IO-520-M (22°,285HP)			X						KA11878	KA11480
IO-520-M (22°,285HP)			X						KA11878	
IO-520-M (22°,285HP)					X				KA11978	KA11730
IO-520-M (22°,285HP)							X			KA11740
IO-520-MB (22°,285HP)		X							KA12828	KA12381
IO-520-MB (22°,285HP)			X						KA11878	KA11480
IO-520-MB (22°,285HP)			X						KA11878	
IO-520-MB (22°,285HP)					X				KA11978	KA11730
IO-520-MB (22°,285HP)							X			KA11740
IO-520-N (22°,300HP)		X							KA12828	KA12381
IO-520-N (22°,300HP)			X						KA11878	KA11480
IO-520-N (22°,300HP)			X						KA11878	
IO-520-N (22°,300HP)					X				KA11978	KA11730
IO-520-N (22°,300HP)							X			KA11740

TCM / CMI ENGINES / ENGINE MODEL	4200 4300	6200 6300	600	S4-20 S4-200	S6-20 S6-200	S4-1200	S6-1200	D2000 D3000	5/8" PLUG E-SIZE	3/4" PLUG H-SIZE
IO-520-NB (22°,300HP)		X							KA12828	KA12381
IO-520-NB (22°,300HP)			X						KA11878	KA11480
IO-520-NB (22°,300HP)			X						KA11878	
IO-520-NB (22°,300HP)					X				KA11978	KA11730
IO-520-NB (22°,300HP)							X			KA11740
IO-550-A (22°,300HP)		X							KA12828	KA12381
IO-550-A (22°,300HP)							X			KA11740
IO-550-B (22°,300HP)							X			KA11740
IO-550-B (22°,300HP)		X								KA12381
IO-550-C (22°,300HP)							X			KA11740
IO-550-C (22°,300HP)		X								KA12381
IO-550-D (22°,300HP)							X			KA11740
IO-550-D (22°,300HP)		X								KA12381
IO-550-E (22°,300HP)							X			KA11740
IO-550-F (22°,300HP)							X			KA11740
IO-550-F (22°,300HP)		X								KA12381
IO-550-G (22°,280HP)							X			KA11740
IO-550-L (22°,300HP)							X			KA11740
IO-550-L (22°,300HP)		X								KA12381
IO-550-N (22°,310HP)							X			KA11740
LTSIO-360-E (20°200HP)					X					KA12015
LTSIO-360-E (20°200HP)							X			
LTSIO-360-EB (20°,200HP)					X					KA12015
LTSIO-360-EB (20°,200HP)							X			
LTSIO-360-KB (20°,220HP)					X					KA12015
LTSIO-360-KB (20°,220HP)							X			
LTSIO-360-RB (22°,220HP)					X					KA12015
LTSIO-360-RB (22°,220HP)							X			
LTSIO-520-AE (20°,250HP)					X				KA11978	KA11730
LTSIO-520-AE (20°,250HP)							X			KA11740
O-200-A (25°,100HP)	X								KA11780	
O-200-A (25°,100HP)				X					KA12007	
O-200-B (25°,100HP)	X								KA11780	
O-200-B (25°,100HP)				X					KA12007	
O-200-C (25°,100HP)	X								KA11780	
O-200-C (25°,100HP)				X					KA12007	
O-300-A (26°,145HP)		X							KA12932	
O-300-A (26°,145HP)			X						KA11884	KA12318

TCM / CMI ENGINES / ENGINE MODEL	4200 4300	6200 6300	600	S4-20 S4-200	S6-20 S6-200	S4-1200	S6-1200	D2000 D3000	5/8" PLUG E-SIZE	3/4" PLUG H-SIZE
O-300-A (26°,145HP)					X				KA12130	
O-300-B (26°,145HP)		X							KA12932	
O-300-B (26°,145HP)			X						KA11884	KA12318
O-300-B (26°,145HP)					X				KA12130	
O-300-C (26°,145HP)		X							KA12932	
O-300-C (26°,145HP)			X						KA11884	KA12318
O-300-C (26°,145HP)					X				KA12130	
O-300-D (26°,145HP)		X							KA12932	
O-300-D (26°,145HP)			X						KA11884	KA12318
O-300-D (26°,145HP)					X				KA12130	
O-300-E (26°,145HP)		X							KA12932	
O-300-E (26°,145HP)			X						KA11884	KA12318
O-300-E (26°,145HP)					X				KA12130	
O-470-11 (26°,213HP)		X								
O-470-11 (26°,213HP)					X				KA12176	KA12339
O-470-11B (26°,213HP)		X								
O-470-11B (26°,213HP)					X				KA12176	KA12339
O-470-11B-C1 (26°,213HP)		X								
O-470-11B-C1 (26°,213HP)					X				KA12176	KA12339
O-470-11-C1 (26°,213HP)		X								
O-470-11-C1 (26°,213HP)					X				KA12176	KA12339
O-470-13 (26°,225HP)		X								
O-470-13 (26°,225HP)					X				KA12176	KA12339
O-470-13A (26°,225HP)		X								
O-470-13A (26°,225HP)					X				KA12176	KA12339
O-470-15 (26°,213HP)		X								
O-470-15 (26°,213HP)					X				KA12176	KA12339
O-470-4 (26°,225HP)		X								
O-470-4 (26°,225HP)					X				KA12176	KA12339
O-470-A (26°,225HP)		X							KA12828	KA12381
O-470-A (26°,225HP)			X						KA11878	KA11480
O-470-A (26°,225HP)									KA11878	
O-470-A (26°,225HP)					X				KA11978	KA11730
O-470-A (26°,225HP)							X			KA11740
O-470-B (24°,240HP)		X							KA12828	KA12381
O-470-B (24°,240HP)			X						KA11878	KA11480
O-470-B (24°,240HP)			X						KA11878	

TCM / CMI ENGINES / ENGINE MODEL	4200 4300	6200 6300	600	S4-20 S4-200	S6-20 S6-200	S4-1200	S6-1200	D2000 D3000	5/8" PLUG E-SIZE	3/4" PLUG H-SIZE
O-470-B (24°,240HP)					X				KA11978	KA11730
O-470-B (24°,240HP)							X			KA11740
O-470-B-C1 (24°,240HP)		X							KA12828	KA12381
O-470-B-C1 (24°,240HP)			X						KA11878	KA11480
O-470-B-C1 (24°,240HP)			X						KA11878	
O-470-B-C1 (24°,240HP)					X				KA11978	KA11730
O-470-B-C1 (24°,240HP)							X			KA11740
O-470-E (26°,225HP)		X							KA12828	KA12381
O-470-E (26°,225HP)			X						KA11878	KA11480
O-470-E (26°,225HP)			X						KA11878	
O-470-E (26°,225HP)					X				KA11978	KA11730
O-470-E (26°,225HP)							X			KA11740
O-470-G (24°,240HP)		X							KA12828	KA12381
O-470-G (24°,240HP)			X						KA11878	KA11480
O-470-G (24°,240HP)			X						KA11878	
O-470-G (24°,240HP)					X				KA11978	KA11730
O-470-G (24°,240HP)							X			KA11740
O-470-G-C1 (24°,240HP)		X							KA12828	KA12381
O-470-G-C1 (24°,240HP)			X						KA11878	KA11480
O-470-G-C1 (24°,240HP)			X						KA11878	
O-470-G-C1 (24°,240HP)					X				KA11978	KA11730
O-470-G-C1 (24°,240HP)							X			KA11740
O-470-H (24°,240HP)		X							KA12828	KA12381
O-470-H (24°,240HP)			X						KA11878	KA11480
O-470-H (24°,240HP)			X						KA11878	
O-470-H (24°,240HP)					X				KA11978	KA11730
O-470-H (24°,240HP)							X			KA11740
O-470-J (20°,225HP)		X							KA12828	KA12381
O-470-J (20°,225HP)			X						KA11878	KA11480
O-470-J (20°,225HP)			X						KA11878	
O-470-J (20°,225HP)					X				KA11978	KA11730
O-470-J (20°,225HP)							X			KA11740
O-470-K (22°,230HP)		X							KA12828	KA12381
O-470-K (22°,230HP)			X						KA11878	KA11480
O-470-K (22°,230HP)			X						KA11878	
O-470-K (22°,230HP)					X				KA11978	KA11730
O-470-K (22°,230HP)							X			KA11740
O-470-K-C1 (22°,230HP)		X							KA12828	KA12381

TCM / CMI ENGINES / ENGINE MODEL	4200 4300	6200 6300	600	S4-20 S4-200	S6-20 S6-200	S4-1200	S6-1200	D2000 D3000	5/8" PLUG E-SIZE	3/4" PLUG H-SIZE
O-470-K-C1 (22°,230HP)			X						KA11878	KA11480
O-470-K-C1 (22°,230HP)			X						KA11878	
O-470-K-C1 (22°,230HP)					X				KA11978	KA11730
O-470-K-C1 (22°,230HP)							X			KA11740
O-470-L (22°,230HP)		X							KA12828	KA12381
O-470-L (22°,230HP)			X						KA11878	KA11480
O-470-L (22°,230HP)			X						KA11878	
O-470-L (22°,230HP)					X				KA11978	KA11730
O-470-L (22°,230HP)							X			KA11740
O-470-L-C1 (22°,230HP)		X							KA12828	KA12381
O-470-L-C1 (22°,230HP)			X						KA11878	KA11480
O-470-L-C1 (22°,230HP)			X						KA11878	
O-470-L-C1 (22°,230HP)					X				KA11978	KA11730
O-470-L-C1 (22°,230HP)							X			KA11740
O-470-M (24°,240HP)		X							KA12828	KA12381
O-470-M (24°,240HP)			X						KA11878	KA11480
O-470-M (24°,240HP)			X						KA11878	
O-470-M (24°,240HP)					X				KA11978	KA11730
O-470-M (24°,240HP)							X			KA11740
O-470-M-C1 (24°,240HP)		X							KA12828	KA12381
O-470-M-C1 (24°,240HP)			X						KA11878	KA11480
O-470-M-C1 (24°,240HP)			X						KA11878	
O-470-M-C1 (24°,240HP)					X				KA11978	KA11730
O-470-M-C1 (24°,240HP)							X			KA11740
O-470-N (24°,240HP)		X							KA12828	KA12381
O-470-N (24°,240HP)			X						KA11878	KA11480
O-470-N (24°,240HP)			X						KA11878	
O-470-N (24°,240HP)					X				KA11978	KA11730
O-470-N (24°,240HP)							X			KA11740
O-470-P (24°,240HP)		X							KA12828	KA12381
O-470-P (24°,240HP)			X						KA11878	KA11480
O-470-P (24°,240HP)			X						KA11878	
O-470-P (24°,240HP)					X				KA11978	KA11730
O-470-P (24°,240HP)							X			KA11740
O-470-R (22°,230HP)		X							KA12828	KA12381
O-470-R (22°,230HP)			X						KA11878	KA11480
O-470-R (22°,230HP)			X						KA11878	
O-470-R (22°,230HP)					X				KA11978	KA11730

TCM / CMI ENGINES / ENGINE MODEL	4200 4300	6200 6300	600	S4-20 S4-200	S6-20 S6-200	S4-1200	S6-1200	D2000 D3000	5/8" PLUG E-SIZE	3/4" PLUG H-SIZE
O-470-R (22°,230HP)							X			KA11740
O-470-S (22°,230HP)		X							KA12828	KA12381
O-470-S (22°,230HP)			X						KA11878	KA11480
O-470-S (22°,230HP)			X						KA11878	
O-470-S (22°,230HP)					X				KA11978	KA11730
O-470-S (22°,230HP)							X			KA11740
O-470-T (24°,230HP)		X							KA12828	KA12381
O-470-T (24°,230HP)			X						KA11878	KA11480
O-470-T (24°,230HP)			X						KA11878	
O-470-T (24°,230HP)					X				KA11978	KA11730
O-470-T (24°,230HP)							X			KA11740
O-470-U (24°,230HP)		X							KA12828	KA12381
O-470-U (24°,230HP)			X						KA11878	KA11480
O-470-U (24°,230HP)			X						KA11878	
O-470-U (24°,230HP)					X				KA11978	KA11730
O-470-U (24°,230HP)							X			KA11740
TSIO-360-A (20°,210HP)					X					KA12015
TSIO-360-A (20°,210HP)		X								KA12778
TSIO-360-A (20°,210HP)							X			
TSIO-360-AB (20°,210HP)					X					KA12015
TSIO-360-AB (20°,210HP)		X								KA12778
TSIO-360-AB (20°,210HP)							X			
TSIO-360-B (20°,210HP)					X					KA12015
TSIO-360-B (20°,210HP)		X								KA12778
TSIO-360-B (20°,210HP)							X			
TSIO-360-BB (20°,210HP)					X					KA12015
TSIO-360-BB (20°,210HP)		X								KA12778
TSIO-360-BB (20°,210HP)							X			
TSIO-360-C (20°,225HP)					X					KA12015
TSIO-360-C (20°,225HP)		X								KA12778
TSIO-360-C (20°,225HP)							X			
TSIO-360-CB (20°,225HP)					X					KA12015
TSIO-360-CB (20°,225HP)		X								KA12778
TSIO-360-CB (20°,225HP)							X			
TSIO-360-D (20°,225HP)					X					KA12015
TSIO-360-D (20°,225HP)		X								KA12778
TSIO-360-D (20°,225HP)							X			
TSIO-360-DB (20°,225HP)					X					KA12015



TCM / CMI ENGINES / ENGINE MODEL	4200 4300	6200 6300	600	S4-20 S4-200	S6-20 S6-200	S4-1200	S6-1200	D2000 D3000	5/8" PLUG E-SIZE	3/4" PLUG H-SIZE
TSIO-360-DB (20°,225HP)		X								KA12778
TSIO-360-DB (20°,225HP)							X			
TSIO-360-E (20°,200HP)					X					KA12015
TSIO-360-E (20°,200HP)		X								KA12778
TSIO-360-E (20°,200HP)							X			
TSIO-360-EB (20°,200HP)					X					KA12015
TSIO-360-EB (20°,200HP)		X								KA12778
TSIO-360-EB (20°,200HP)							X			
TSIO-360-F (20°,200HP)					X					KA12015
TSIO-360-F (20°,200HP)		X								KA12778
TSIO-360-F (20°,200HP)							X			
TSIO-360-FB (20°,200HP)					X					KA12015
TSIO-360-FB (20°,200HP)		X								KA12778
TSIO-360-FB (20°,200HP)							X			
TSIO-360-G (20°,210HP)					X					KA12015
TSIO-360-G (20°,210HP)		X								KA12778
TSIO-360-G (20°,210HP)							X			
TSIO-360-GB (20°,210HP)					X					KA12015
TSIO-360-GB (20°,210HP)							X			
TSIO-360-H (20°,210HP)					X					KA12015
TSIO-360-H (20°,210HP)		X								KA12778
TSIO-360-H (20°,210HP)							X			
TSIO-360-HB (20°,210HP)					X					KA12015
TSIO-360-HB (20°,210HP)		X								KA12778
TSIO-360-HB (20°,210HP)							X			
TSIO-360-JB (20°,225HP)					X					KA12015
TSIO-360-JB (20°,225HP)		X								KA12778
TSIO-360-JB (20°,225HP)							X			
TSIO-360-KB (20°,220HP)		X								KA12778
TSIO-360-LB (20°,210HP)					X					KA12015
TSIO-360-LB (20°,210HP)							X			
TSIO-360-MB (20°,210HP)					X					KA12015
TSIO-360-MB (20°,210HP)							X			
TSIO-360-NB (20°,210HP)					X					KA12015
TSIO-360-NB (20°,210HP)							X			
TSIO-360-PB (20°,200HP)					X					KA12015
TSIO-360-PB (20°,200HP)							X			
TSIO-360-RB (22°,220HP)					X					KA12015

TCM / CMI ENGINES / ENGINE MODEL	4200 4300	6200 6300	600	S4-20 S4-200	S6-20 S6-200	S4-1200	S6-1200	D2000 D3000	5/8" PLUG E-SIZE	3/4" PLUG H-SIZE
TSIO-360-RB (22°,220HP)							X			
TSIO-360-SB (20°,220HP)					X					KA12015
TSIO-360-SB (20°,220HP)							X			
TSIO-470-B (22°,260HP)					X				KA11978	KA11730
TSIO-470-B (22°,260HP)							X			KA11740
TSIO-470-C (22°,260HP)					X				KA11978	KA11730
TSIO-470-C (22°,260HP)							X			KA11740
TSIO-470-D (22°,260HP)					X				KA11978	KA11730
TSIO-470-D (22°,260HP)							X			KA11740
TSIO-520-A (20°,285HP)		X								KA12381
TSIO-520-A (20°,285HP)		X								KA12780
TSIO-520-A (20°,285HP)			X						KA11978	KA11480
TSIO-520-A (20°,285HP)			X						KA11978	
TSIO-520-A (20°,285HP)					X					KA11730
TSIO-520-A (20°,285HP)							X			KA11740
TSIO-520-AE (20°,250HP)		X								KA12780
TSIO-520-AE (20°,250HP)					X				KA11978	KA11730
TSIO-520-AE (20°,250HP)							X			KA11740
TSIO-520-AF (22°,310HP)		X								
TSIO-520-AF (22°,310HP)							X			KA11740
TSIO-520-B (20°,285HP)		X								KA12381
TSIO-520-B (20°,285HP)		X								KA12779
TSIO-520-B (20°,285HP)			X						KA11878	KA11480
TSIO-520-B (20°,285HP)			X						KA11878	
TSIO-520-B (20°,285HP)					X				KA11978	KA11730
TSIO-520-B (20°,285HP)							X			KA11740
TSIO-520-BB (20°,285HP)		X								KA12381
TSIO-520-BB (20°,285HP)		X								KA12779
TSIO-520-BB (20°,285HP)			X						KA11878	KA11480
TSIO-520-BB (20°,285HP)			X						KA11878	
TSIO-520-BB (20°,285HP)					X				KA11978	KA11730
TSIO-520-BB (20°,285HP)							X			KA11740
TSIO-520-BE (24°,310HP)		X								
TSIO-520-BE (24°,310HP)			X						KA11878	
TSIO-520-BE (24°,310HP)			X						KA11878	KA11480
TSIO-520-BE (24°,310HP)					X				KA11978	KA11730
TSIO-520-BE (24°,310HP)							X			KA11740
TSIO-520-C (20°,285HP)		X								KA12381

TCM / CMI ENGINES / ENGINE MODEL	4200 4300	6200 6300	600	S4-20 S4-200	S6-20 S6-200	S4-1200	S6-1200	D2000 D3000	5/8" PLUG E-SIZE	3/4" PLUG H-SIZE
TSIO-520-C (20°,285HP)		X								KA12779
TSIO-520-C (20°,285HP)			X						KA11878	KA11480
TSIO-520-C (20°,285HP)			X						KA11878	
TSIO-520-C (20°,285HP)					X				KA11978	KA11730
TSIO-520-C (20°,285HP)							X			KA11740
TSIO-520-CE (20°,325HP)		X								
TSIO-520-CE (20°,325HP)			X						KA11878	
TSIO-520-CE (20°,325HP)			X					X	KA11878	KA11480
TSIO-520-CE (20°,325HP)					X				KA11978	KA11730
TSIO-520-CE (20°,325HP)							X			KA11740
TSIO-520-D (20°,285HP)		X								KA12381
TSIO-520-D (20°,285HP)		X								KA12779
TSIO-520-D (20°,285HP)			X						KA11878	KA11480
TSIO-520-D (20°,285HP)			X						KA11878	
TSIO-520-D (20°,285HP)					X				KA11978	KA11730
TSIO-520-D (20°,285HP)							X			KA11740
TSIO-520-DB (20°,285HP)		X								KA12381
TSIO-520-DB (20°,285HP)		X								KA12779
TSIO-520-DB (20°,285HP)			X						KA11878	KA11480
TSIO-520-DB (20°,285HP)			X						KA11878	
TSIO-520-DB (20°,285HP)					X				KA11978	KA11730
TSIO-520-DB (20°,285HP)							X			KA11740
TSIO-520-E (20°,300HP)		X								KA12381
TSIO-520-E (20°,300HP)		X								KA12779
TSIO-520-E (20°,300HP)			X						KA11878	KA11480
TSIO-520-E (20°,300HP)			X						KA11878	
TSIO-520-E (20°,300HP)					X				KA11978	KA11730
TSIO-520-E (20°,300HP)							X			KA11740
TSIO-520-EB (20°,300HP)		X								KA12381
TSIO-520-EB (20°,300HP)		X								KA12779
TSIO-520-EB (20°,300HP)			X						KA11878	KA11480
TSIO-520-EB (20°,300HP)			X					X	KA11878	
TSIO-520-EB (20°,300HP)					X				KA11978	KA11730
TSIO-520-EB (20°,300HP)							X			KA11740
TSIO-520-G (22°,300HP)		X								KA12381
TSIO-520-G (22°,300HP)		X								KA12779
TSIO-520-G (22°,300HP)			X						KA11878	KA11480
TSIO-520-G (22°,300HP)			X					X	KA11878	

TCM / CMI ENGINES / ENGINE MODEL	4200 4300	6200 6300	600	S4-20 S4-200	S6-20 S6-200	S4-1200	S6-1200	D2000 D3000	5/8" PLUG E-SIZE	3/4" PLUG H-SIZE
TSIO-520-G (22°,300HP)					X				KA11978	KA11730
TSIO-520-G (22°,300HP)							X			KA11740
TSIO-520-H (20°,285HP)		X								KA12381
TSIO-520-H (20°,285HP)		X								KA12779
TSIO-520-H (20°,285HP)			X						KA11878	KA11480
TSIO-520-H (20°,285HP)			X						KA11878	
TSIO-520-H (20°,285HP)					X				KA11978	KA11730
TSIO-520-H (20°,285HP)							X			KA11740
TSIO-520-J (20°,310HP)		X								KA12381
TSIO-520-J (20°,310HP)		X								KA12779
TSIO-520-J (20°,310HP)			X						KA11878	KA11480
TSIO-520-J (20°,310HP)			X						KA11878	
TSIO-520-J (20°,310HP)					X				KA11978	KA11730
TSIO-520-J (20°,310HP)							X			KA11740
TSIO-520-JB (20°,310HP)		X								KA12381
TSIO-520-JB (20°,310HP)		X								KA12779
TSIO-520-JB (20°,310HP)			X						KA11878	KA11480
TSIO-520-JB (20°,310HP)			X						KA11878	
TSIO-520-JB (20°,310HP)					X				KA11978	KA11730
TSIO-520-JB (20°,310HP)							X			KA11740
TSIO-520-K (20°,285HP)		X								KA12381
TSIO-520-K (20°,285HP)		X								KA12779
TSIO-520-K (20°,285HP)			X						KA11878	KA11480
TSIO-520-K (20°,285HP)			X						KA11878	
TSIO-520-K (20°,285HP)					X				KA11978	KA11730
TSIO-520-K (20°,285HP)							X			KA11740
TSIO-520-KB (20°,285HP)		X								KA12381
TSIO-520-KB (20°,285HP)		X								KA12779
TSIO-520-KB (20°,285HP)			X						KA11878	KA11480
TSIO-520-KB (20°,285HP)			X						KA11878	
TSIO-520-KB (20°,285HP)					X				KA11978	KA11730
TSIO-520-KB (20°,285HP)							X			KA11740
TSIO-520-L (20°,310HP)		X								KA12381
TSIO-520-L (20°,310HP)		X								KA12779
TSIO-520-L (20°,310HP)			X						KA11878	KA11480
TSIO-520-L (20°,310HP)			X						KA11878	
TSIO-520-L (20°,310HP)					X				KA11978	KA11730
TSIO-520-L (20°,310HP)							X			KA11740

TCM / CMI ENGINES / ENGINE MODEL	4200 4300	6200 6300	600	S4-20 S4-200	S6-20 S6-200	S4-1200	S6-1200	D2000 D3000	5/8" PLUG E-SIZE	3/4" PLUG H-SIZE
TSIO-520-LB (20°,310HP)		X								KA12381
TSIO-520-LB (20°,310HP)		X								KA12779
TSIO-520-LB (20°,310HP)			X						KA11878	KA11480
TSIO-520-LB (20°,310HP)			X						KA11878	
TSIO-520-LB (20°,310HP)					X				KA11978	KA11730
TSIO-520-LB (20°,310HP)							X			KA11740
TSIO-520-M (22°,310HP)		X								KA12381
TSIO-520-M (22°,310HP)		X								KA12779
TSIO-520-M (22°,310HP)			X						KA11878	KA11480
TSIO-520-M (22°,310HP)			X						KA11878	
TSIO-520-M (22°,310HP)					X				KA11978	KA11730
TSIO-520-M (22°,310HP)							X			KA11740
TSIO-520-N (20°,310HP)		X								KA12381
TSIO-520-N (20°,310HP)		X								KA12779
TSIO-520-N (20°,310HP)			X						KA11878	KA11480
TSIO-520-N (20°,310HP)			X						KA11878	
TSIO-520-N (20°,310HP)					X				KA11978	KA11730
TSIO-520-N (20°,310HP)							X			KA11740
TSIO-520-NB (20°,310HP)		X								KA12381
TSIO-520-NB (20°,310HP)		X								KA12779
TSIO-520-NB (20°,310HP)			X						KA11878	KA11480
TSIO-520-NB (20°,310HP)			X						KA11878	
TSIO-520-NB (20°,310HP)					X				KA11978	KA11730
TSIO-520-NB (20°,310HP)							X			KA11740
TSIO-520-P (22°,310HP)		X								KA12381
TSIO-520-P (22°,310HP)		X								KA12779
TSIO-520-P (22°,310HP)			X						KA11878	KA11480
TSIO-520-P (22°,310HP)			X						KA11878	
TSIO-520-P (22°,310HP)					X				KA11978	KA11730
TSIO-520-P (22°,310HP)							X			KA11740
TSIO-520-R (22°,310HP)		X								KA12381
TSIO-520-R (22°,310HP)		X								KA12779
TSIO-520-R (22°,310HP)			X						KA11878	KA11480
TSIO-520-R (22°,310HP)			X						KA11878	
TSIO-520-R (22°,310HP)					X				KA11978	KA11730
TSIO-520-R (22°,310HP)							X			KA11740
TSIO-520-T (22°,310HP)		X								KA12381
TSIO-520-T (22°,310HP)		X								KA12779

TCM / CMI ENGINES / ENGINE MODEL	4200 4300	6200 6300	600	S4-20 S4-200	S6-20 S6-200	S4-1200	S6-1200	D2000 D3000	5/8" PLUG E-SIZE	3/4" PLUG H-SIZE
TSIO-520-T (22°,310HP)			X						KA11878	KA11480
TSIO-520-T (22°,310HP)			X						KA11878	
TSIO-520-T (22°,310HP)					X				KA11978	KA11730
TSIO-520-T (22°,310HP)							X			KA11740
TSIO-520-U (22°,300HP)		X								KA12381
TSIO-520-U (22°,300HP)		X								KA12779
TSIO-520-U (22°,300HP)			X						KA11878	KA11480
TSIO-520-U (22°,300HP)			X						KA11878	
TSIO-520-U (22°,300HP)					X				KA11978	KA11730
TSIO-520-U (22°,300HP)							X			KA11740
TSIO-520-UB (22°,300HP)		X								KA12381
TSIO-520-UB (22°,300HP)		X								KA12779
TSIO-520-UB (22°,300HP)			X						KA11878	KA11480
TSIO-520-UB (22°,300HP)			X						KA11878	
TSIO-520-UB (22°,300HP)					X				KA11978	KA11730
TSIO-520-UB (22°,300HP)							X			KA11740
TSIO-520-VB (20°,325HP)		X								KA12381
TSIO-520-VB (20°,325HP)		X								KA12779
TSIO-520-VB (20°,325HP)			X						KA11878	KA11480
TSIO-520-VB (20°,325HP)			X						KA11878	
TSIO-520-VB (20°,325HP)					X				KA11978	KA11730
TSIO-520-VB (20°,325HP)							X			KA11740
TSIO-520-WB (20°,325HP)		X								KA12381
TSIO-520-WB (20°,325HP)		X								KA12779
TSIO-520-WB (20°,325HP)			X						KA11878	KA11480
TSIO-520-WB (20°,325HP)			X						KA11878	
TSIO-520-WB (20°,325HP)					X				KA11978	KA11730
TSIO-520-WB (20°,325HP)							X			KA11740
TSIO-550-A (24°,360HP)					X					KA11730
TSIO-550-A (24°,360HP)		X								KA12779
TSIO-550-B (24°,350HP)					X					KA11730
TSIO-550-B (24°,350HP)		X								KA12779
TSIO-550-C (24°,310HP)					X					KA11730
TSIO-550-C (24°,310HP)		X								KA12779
TSIO-550-E (24°,350HP)					X					KA11730
TSIO-550-E (24°,350HP)		X								KA12779



KATS offers: the All Electric Aircraft Cabin Air Conditioning System, THERMACOOL; Airplane Ice protection, the most advanced Aircraft Deicing System available, THERMAWING; also Wind Turbine Blade Deicing; and Dual Back-up Alternator Kits.